



Product Catalog

Networks People Trust™

Contents

Wireless.....	1
Wired Routers	10
Modems	11
Powerline.....	12
Print Servers.....	14
Switches	15
Fiber	20
Power over Ethernet (PoE).....	21
Internet Security Cameras	22
KVM.....	25
Network Adapters	28
USB	29
Network Accessories.....	32
TRENDnet Green Initiatives.....	33

Wireless Performance

Band: 2.4 + 5GHz
Upload: 450Mbps
Download: 450Mbps

DUALBAND N
450
MBPS

Best

Band: 2.4GHz
Upload: 450Mbps
Download: 450Mbps

WIRELESS N
450
MBPS

Band: 2.4 + 5GHz
Upload: 300Mbps
Download: 300Mbps

DUALBAND N
300
MBPS

Better

Band: 2.4GHz
Upload: 300Mbps
Download: 300Mbps

WIRELESS N
300
MBPS

Band: 2.4GHz
Upload: 150Mbps
Download: 300Mbps

WIRELESS
N
SPEED

Good

Band: 2.4GHz
Upload: 150Mbps
Download: 150Mbps

WIRELESS N
150
MBPS

450Mbps Wireless N

The first router to support 450Mbps speeds on both the 2.4GHz and 5GHz bands concurrently



front view



back view



450Mbps Concurrent Dual Band Wireless N Router
TEW-692GR

3-year limited warranty



450Mbps Concurrent Dual Band Wireless N Router
TEW-692GR

- 900Mbps of total wireless throughput
- 450Mbps speeds on both the 2.4GHz and 5GHz bands concurrently
- 4 x 100/1000Mbps Auto-MDIX LAN ports
- 1 x 100/1000Mbps WAN port (Internet)



450Mbps Wireless N Gigabit Router
TEW-691GR

- Extreme wireless transmission speeds up to 450Mbps
- 4 x 100/1000Mbps Auto-MDIX LAN ports
- 1 x 100/1000Mbps WAN port
- One-touch Wi-Fi Protected Setup (WPS) button



450Mbps Dual Band Wireless N HD Media Bridge
TEW-680MB

- Connects up to four media center devices to a 450Mbps wireless network
- 450Mbps speeds on both the 2.4GHz and 5GHz bands concurrently
- 4 x 100/1000Mbps Auto-MDIX LAN ports
- WMM video and audio Quality of Service (QoS) prioritization



450Mbps Wireless N Gaming Adapter
TEW-687GA

- Ultimate performance for gaming console and media center wireless connections
- 1 x 100/1000Mbps Auto-MDIX LAN port
- WMM video and audio Quality of Service (QoS) prioritization
- One-touch Wi-Fi Protected Setup (WPS)



450Mbps Dual Band Wireless N USB Adapter
TEW-684UB

- Upgrade your computer to 450Mbps Dual Band Wireless N
- 1 x USB 2.0 connector
- WMM video and audio Quality of Service (QoS) prioritization
- One-touch Wi-Fi Protected Setup (WPS)



450Mbps Wireless N Access Point
TEW-690AP

- Access Point, WDS, and Repeater modes
- Ultra fast 450Mbps wireless n speed and coverage
- 1 x 100/1000Mbps Auto-MDIX LAN port
- One-touch Wi-Fi Protected Setup (WPS)



300Mbps Dual Band Wireless N

Blend of high performance and intuitive LCD interface management



3-year limited warranty

300Mbps Concurrent Dual Band Wireless N Gigabit Router
TEW-673GRU



300Mbps Concurrent Dual Band Wireless N Gigabit Router
TEW-673GRU

- Simultaneous 300Mbps 2.4GHz and 5GHz networking
- Color LCD management interface
- 4 x Gigabit LAN ports, 1 x Gigabit WAN port, and 2 x USB 2.0 ports
- One touch Wi-Fi Protected Setup (WPS)



300Mbps Dual Band Wireless N USB Adapter
TEW-664UB

- Connect your PC or laptop using either the 2.4GHz or the 5GHz frequency
- 12 x the speed and 4 x the coverage of wireless g
- Multiple Input Multiple Output (MIMO) antenna technology

Best

Router Performance Table



TEW-654TR



TEW-731BR



TEW-734GRU



TEW-639GR



TEW-692GR



TEW-713BR



TEW-711BR



TEW-691GR



TEW-673GRU

SPEED

COVERAGE

Good

Best

300Mbps Wireless N

High performance wireless networking at a reasonable price



front view



back view



3-year limited warranty

300Mbps Wireless N Home Router
TEW-731BR



300Mbps Wireless N Gigabit Router
TEW-639GR

- High performance wireless networking
- 4 x Gigabit Auto-MDIX LAN ports
- 1 x Gigabit WAN port
- One touch Wi-Fi Protected Setup (WPS)



300Mbps Wireless N Home Router
TEW-731BR

- High performance wireless networking
- 4 x 10/100Mbps Auto-MDIX LAN ports
- 1 x 10/100Mbps WAN port
- One touch Wi-Fi Protected Setup (WPS)



300Mbps Wireless N VPN Router
TEW-659BRV

- Supports up to 80 Virtual Private Network tunnels
- IPSec, L2TP, and PPTP VPN pass-through support
- 300Mbps Wireless networking
- One-touch WPS wireless connection



300Mbps Wireless N Gigabit Router
TEW-734GRU

- High performance wireless networking
- 4 x Gigabit Auto-MDIX LAN ports
- 1 x Gigabit WAN port
- Share content using the convenient USB port
- One touch Wi-Fi Protected Setup (WPS)



300Mbps Wireless N 4-Port Media Bridge
TEW-640MB

- Connect up to 4 devices to a high performance wireless n network
- 4 x 10/100Mbps Auto-MDIX LAN ports
- WMM QoS prioritizes audio and video content
- One-touch Wi-Fi Protected Setup (WPS) wireless connection



300Mbps Wireless N Gaming Adapter
TEW-647GA

- Connect game consoles, Internet TVs, and media players to a high-performance wireless n network
- 1 x 10/100Mbps Auto-MDIX LAN port
- Works with Nintendo® Wii™, Microsoft Xbox®, and PlayStation®
- One-touch Wi-Fi Protected Setup (WPS) wireless connection



300Mbps Wireless N USB Adapter
TEW-624UB

- Upgrade a PC or laptop to 300Mbps wireless
- Advance wireless encryption provides robust security
- One-step wireless network connection with Wi-Fi Protected Setup (WPS)



300Mbps Wireless N PCI Adapter
TEW-623PI

- Connect a desktop computer to a 300Mbps wireless network in minutes
- Advanced wireless encryption provides robust security

300Mbps Wireless N

Extends the coverage of your existing high performance wireless N network



3-year limited warranty

300Mbps Wireless Easy-N Range Extender
TEW-736RE



300Mbps Wireless Easy-N Range Extender
TEW-736RE

- Extends the range of your existing wireless network
- One-touch installation
- MIMO antenna technology provides extensive coverage
- Advanced wireless encryption protects your data



300Mbps Wireless Easy-N-Upgrader
TEW-637AP

- Upgrade your existing wired or wireless router to wireless n
- No setup required - simply plug into your existing router
- 1 x 10/100Mbps Auto-MDIX LAN port
- One touch Wi-Fi Protected Setup (WPS)



300Mbps Wireless N PoE Access Point
TEW-653AP

- Features Access Point, WDS, and Repeater modes
- 1 x 10/100Mbps PoE LAN port
- Power and data are received through a single Ethernet cable
- Off white housing blends into most environments



300Mbps Wireless N PoE Access Point
TEW-638PAP

- Extend your wireless network with Wireless Distribution System technology
- Use wireless Bridge Mode to wirelessly connect devices such as game consoles, printers, and digital video recorders
- 1 x 10/100Mbps Ethernet port
- One touch Wi-Fi Protected Setup (WPS)

Wireless N Speed



Mini Wireless N Speed USB Adapter
TEW-649UB

- Ultra compact high speed wireless n adapter
- Upgrade your laptop or desktop to wireless n
- 300Mbps download and 150Mbps upload speeds
- One-touch Wi-Fi Protected Setup (WPS)



Wireless N PCI Adapter
TEW-643PI

- Upgrade your desktop to high performance wireless n
- 300Mbps download and 150Mbps upload speeds
- One-step connection setup with Wi-Fi Protected Setup (WPS)

150Mbps Wireless N

High power adapter greatly expands wireless coverage



package view



back view



3-year limited warranty

High Power 150Mbps Wireless N USB Adapter
TEW-646UBH



150Mbps Wireless N Home Router
TEW-711BR

- Wireless bandwidth to browse the internet
- 4 x 10/100Mbps Auto-MDIX LAN ports
- 1 x 10/100Mbps WAN port
- One touch Wi-Fi Protected Setup (WPS)



150Mbps Compact Single Port Wireless N Router
TEW-713BR

- Compact footprint fits in the smallest workspace
- 1 x 10/100Mbps Auto-MDIX LAN port
- 1 x 10/100Mbps WAN port
- WMM Quality of Service (QoS) data prioritization



150Mbps Micro Wireless N USB Adapter
TEW-648UBM

- Ultra compact high speed wireless n adapter
- Upgrade your laptop or desktop to wireless n
- One-touch wireless connection with a Wi-Fi Protected Setup (WPS) button
- WMM Quality of Service (QoS) data prioritization



150Mbps Mini Wireless N USB Adapter
TEW-648UB

- Compact wireless adapter
- Upgrade your laptop or desktop to wireless n
- One-touch Wi-Fi Protected Setup (WPS) button
- WMM Quality of Service (QoS) data prioritization



150Mbps 3G Mobile Wireless N Router
TEW-655BR3G

- Share the Internet from any 3G mobile connection
- Compatible with USB modems from every ISP
- Rechargeable 2.5 hour lithium Ion battery (4 hours in idle)
- One-touch connection with Wi-Fi Protected Setup (WPS)



3G Mobile Wireless N Router
TEW-656BRG

- Share the Internet from any 3G mobile connection
- Compatible with USB modems from every ISP
- Computer Powered
- One-touch connection with Wi-Fi Protected Setup (WPS)



150Mbps Wireless N Access Point
TEW-650AP

- WDS and AP Client mode support
- 1 x 10/100Mbps WAN port
- Create up to 4 wireless networks (SSIDs)
- Intuitive Windows-based setup wizard



150Mbps Wireless N PCI Adapter
TEW-703PI

- Upgrade a desktop computer to wireless n



150Mbps Low Profile Wireless N PCI Adapter
TEW-703PIL

- Compatible with low profile desktop computers

Price to Performance Leader



3-year limited warranty

150Mbps Wireless N Home Router
TEW-711BR

450Mbps Dual Band Wireless N										
	Part Number	Product Name	Antenna	WAN	LAN	Security	Firewall	Special Features	Warranty	
Routers	TEW-692GR	450Mbps Concurrent Dual Band Wireless N Router	3x External	1x Gigabit	4x Gigabit	Up to WPA2-RADIUS	NAT/SPI	450Mbps on both Bands, MIMO, WMM® QoS, WPS, WDS	3-year	
Adapters	TEW-684UB	450Mbps Dual Band Wireless N USB Adapter	Internal	-	1x USB	Up to WPA2-RADIUS	Router based	450Mbps on both Bands, MIMO, WMM® QoS, WPS	3-year	
	TEW-680MB	450Mbps Dual Band Wireless N HD Media Bridge	Internal	-	4x Gigabit	Up to WPA2-RADIUS	Router based	450Mbps on both Bands, MIMO, WMM® QoS, WPS	3-year	
450Mbps Wireless N										
	Part Number	Product Name	Antenna	WAN	LAN	Security	Firewall	Special Features	Warranty	
Routers	TEW-691GR	450Mbps Wireless N Gigabit Router	3x external	1x Gigabit	4x Gigabit	Up to WPA2-RADIUS	NAT/SPI	MIMO, WMM® QoS, WPS	3-year	
Adapters	TEW-687GA	450Mbps Wireless N Gaming Adapter	Internal	-	1x Gigabit	Up to WPA2-RADIUS	Router based	MIMO, WMM® QoS, WPS	3-year	
Access Points	TEW-690AP	450Mbps Wireless N Access Point	3x detachable	-	1x Gigabit	Up to WPA2-RADIUS	Router based	MIMO, WMM® QoS, WPS, WDS, Repeater	3-year	
300Mbps Dual Band Wireless N										
	Part Number	Product Name	Antenna	WAN	LAN	Security	Firewall	Special Features	Warranty	
Routers	TEW-673GRU	300Mbps Concurrent Dual Band Wireless N Gigabit Router	2x detachable	1x Gigabit	4x Gigabit	Up to WPA2-RADIUS	NAT/SPI	MIMO, Color LCD Screen, 2 USB share ports	3-year	
Adapters	TEW-664UB	300Mbps Dual Band Wireless N USB Adapter	Internal	-	-	Up to WPA2-RADIUS	Router based	MIMO, WMM® QoS, WPS	3-year	
Access Points	TEW-670AP	300Mbps Concurrent Dual Band Wireless N Access Point	2x external	-	1x 10/100Mbps	Up to WPA2-RADIUS	Router based	MIMO, WMM® QoS, WPS, WDS	3-year	
300Mbps Wireless N										
	Part Number	Product Name	Antenna	WAN	LAN	Security	Firewall	Special Features	Warranty	
Routers	TEW-659BRV	300Mbps Wireless N VPN Router	2x external	1x 10/100Mbps	4x 10/100Mbps	Up to WPA2-RADIUS	NAT/SPI	MIMO, WMM® QoS, WPS	3-year	
	TEW-658BRM	300Mbps Wireless N ADSL 2/2+ Modem Router	2x external	1x RJ-11	4x 10/100Mbps	Up to WPA2-RADIUS	NAT/SPI	MIMO, WMM® QoS, WPS	3-year	
	TEW-654TR	300Mbps Wireless N Travel Router Kit	Internal	1x 10/100Mbps	-	Up to WPA2-RADIUS	NAT/SPI	MIMO, WMM® QoS, WPS, AP, AP Client	3-year	
	TEW-652BRP	300Mbps Wireless N Home Router	2x external	1x 10/100Mbps	4x 10/100Mbps	Up to WPA2-RADIUS	NAT/SPI	MIMO, WMM® QoS, WPS	3-year	
	TEW-639GR	300Mbps Wireless N Gigabit Router	3x external	1x Gigabit	4x Gigabit	Up to WPA2-RADIUS	NAT/SPI	MIMO, WMM® QoS, WPS, Wi-Fi Certified	3-year	
	TEW-734GR	300Mbps Wireless N Gigabit Router	3x detachable	1x Gigabit	4x Gigabit	Up to WPA2-RADIUS	NAT/SPI	MIMO, WMM® QoS, WPS	3-year	
	TEW-734GRU	300Mbps Wireless N Gigabit Router with USB Port	2x detachable	1x Gigabit	4x Gigabit	Up to WPA2-RADIUS	NAT/SPI	MIMO, WMM® QoS, WPS, USB share port	3-year	
	TEW-731BR	300Mbps Wireless N Home Router	2x external	1x 10/100Mbps	4x 10/100Mbps	Up to WPA2-RADIUS	NAT/SPI	MIMO, WMM® QoS, WPS	3-year	
	TEW-647GA	300Mbps Wireless N Gaming Adapter	2x Internal	-	1x 10/100Mbps	Up to WPA2-PSK	Router based	MIMO, WPS, no installation required	3-year	
	TEW-640MB	300Mbps Wireless N 4-Port Media Bridge	2x Internal	-	4x 10/100Mbps	Up to WPA2-PSK	Router based	MIMO, WMM® QoS, WPS	3-year	
Adapters	TEW-624UB	300Mbps Wireless N USB Adapter	2x Internal	-	-	Up to WPA2-RADIUS	Router based	MIMO, WMM® QoS, Wi-Fi Certified, WPS button	3-year	
	TEW-623PI	300Mbps Wireless N PCI Adapter	3x detachable	-	-	Up to WPA2-RADIUS	Router based	MIMO, WMM® QoS, Wi-Fi Certified	3-year	
	TEW-676APBO	14 dBi High Power Wireless N Outdoor PoE Access Point	Internal	-	1x PoE 10/100Mbps	Up to WPA2-RADIUS	Router based	MIMO, QoS, WPS, WDS, Repeater, PoE	3-year	
	TEW-674APA	300Mbps Wireless N Access Point	2x detachable	1x 10/100Mbps	-	Up to WPA2-RADIUS	Router based	MIMO, QoS, WPS, WDS, Repeater	3-year	
	TEW-653AP	300Mbps Wireless N PoE Access Point	3x Internal	-	1x PoE 10/100Mbps	Up to WPA2-RADIUS	Router based	MIMO, WMM® QoS, WPS, WDS, PoE	3-year	
	TEW-638PAP	300Mbps Wireless N PoE Access Point	2x detachable	-	1x PoE 10/100Mbps	Up to WPA2-RADIUS	Router based	MIMO, QoS, WPS, WDS, Repeater, Client, PoE	3-year	
	TEW-638APB	300Mbps Wireless N Access Point	2x detachable	-	1x 10/100Mbps	Up to WPA2-RADIUS	Router based	MIMO, QoS, WPS, WDS, Repeater, Client	3-year	
	TEW-637AP	300Mbps Wireless Easy-N-Upgrader	2x external	-	1x 10/100Mbps	Up to WPA2-RADIUS	Router based	MIMO, QoS, WPS, WDS, Repeater	3-year	
	TEW-736RE	300Mbps Easy-N Range Extender	2x external	-	1x 10/100Mbps	Up to WPA2-RADIUS	Router based	Ease of Use	3-year	
		TEW-637AP	300Mbps Wireless Easy-N-Upgrader	2x external	-	1x 10/100Mbps	Up to WPA2-RADIUS	Router based	MIMO, QoS, WPS, WDS, Repeater	3-year
	TEW-736RE	300Mbps Easy-N Range Extender	2x external	-	1x 10/100Mbps	Up to WPA2-RADIUS	Router based	Ease of Use	3-year	
Wireless N Speed (300Mbps Download, 150Mbps Upload)										
	Part Number	Product Name	Antenna	WAN	LAN	Security	Firewall	Special Features	Warranty	
Adapters	TEW-649UB	Mini Wireless N Speed USB Adapter	Internal	-	-	Up to WPA2-RADIUS	Router based	MIMO, WMM® QoS, WPS, Wi-Fi Certified	3-year	
	TEW-645UB	High Power Wireless N USB Adapter	Internal	-	-	Up to WPA2-RADIUS	Router based	MIMO, WMM® QoS, WPS, Wi-Fi Certified	3-year	
	TEW-643PI	Wireless N PCI Adapter	2x detachable	-	-	Up to WPA2-RADIUS	Router based	MIMO, WMM® QoS, Wi-Fi Certified	3-year	
	TEW-641PC	Wireless N PC Card	Internal	-	-	Up to WPA2-RADIUS	Router based	MIMO, WMM® QoS, Wi-Fi Certified	3-year	
150Mbps Wireless N										
	Part Number	Product Name	Antenna	WAN	LAN	Security	Firewall	Special Features	Warranty	
Routers	TEW-711BR	150Mbps Wireless N Home Router	1x external	1x 10/100Mbps	4x 10/100Mbps	Up to WPA2-RADIUS	NAT/SPI	MIMO, WMM® QoS, WPS	3-year	
	TEW-713BR	150Mbps Compact Single Port Wireless N Router	Internal	1x 10/100Mbps	1x 10/100Mbps	Up to WPA2-RADIUS	NAT/SPI	WMM® QoS, WPS	3-year	
	TEW-656BRG	3G Mobile Wireless N Router	Internal	1x USB 2.0 (3G)	1x USB 2.0	Up to WPA2-PSK	NAT/SPI	WMM® QoS, 3G, WPS	3-year	
	TEW-655BR3G	3G Mobile Wireless N Router Kit	Internal	1x 10/100Mbps/3G	1x 10/100Mbps	Up to WPA2-PSK	NAT/SPI	WMM® QoS, 3G USB port, WPS, rechargeable battery	3-year	
	TEW-651BR	150Mbps Wireless N Home Router	1x external	1x 10/100Mbps	4x 10/100Mbps	Up to WPA2-RADIUS	NAT/SPI	MIMO, WMM® QoS, WPS	3-year	
Adapters	TEW-648UBM	150Mbps Micro Wireless N USB Adapter	Internal	-	-	Up to WPA2-RADIUS	Router based	MIMO, WMM® QoS, WPS, micro sized	3-year	
	TEW-648UB	150Mbps Mini Wireless N USB Adapter	Internal	-	-	Up to WPA2-RADIUS	Router based	MIMO, WMM® QoS, WPS, ultra compact	3-year	
	TEW-646UBH	High Power 150Mbps Wireless N USB Adapter	1x detachable	-	-	Up to WPA2-RADIUS	Router based	WMM® QoS, WPS, AP Mode	3-year	
Access Points	TEW-650AP	150Mbps Wireless N Access Point	1x detachable	-	1x 10/100Mbps	Up to WPA2-RADIUS	Router based	WMM® QoS, WPS, WDS, Repeater, Client	3-year	
108Mbps Wireless Super G										
	Part Number	Product Name	Antenna	WAN	LAN	Security	Firewall	Special Features	Warranty	
Access Points	TEW-455APBO	14 dBi High Power Wireless Outdoor PoE Access Point	Internal/directional	-	1x PoE 10/100Mbps	Up to WPA2-RADIUS	Router based	PoE, 14 dBi antenna, WPS, CPE mode	3-year	
	TEW-ASAL1	Outdoor Lightning Arrestor Kit	Internal	-	-	-	-	Protects your network from catastrophic lightning strikes and electrical surges. Use with TRENDnet's PoE Access Point (TEW-455APBO).	3-year	
Bluetooth										
	Part Number	Product Name	Bluetooth	Bluetooth Range	Warranty					
	TBW-107UB	Micro Bluetooth® USB Adapter	Class II	Up to 33 ft range (10 m)	2-year					
	TBW-106UB	Micro Bluetooth® USB Adapter	Class I	Up to 328 ft range (100 m)	2-year					
Antennas and Outdoor Access Points										
	Part Number	Product Name	Frequency	Omni/Directional	Decibels	Antenna Base/Cable	Warranty			
	TEW-A1770B	Duo 7 dBi Indoor Omni Directional Antenna	Wireless b/g/n (2.4GHz only)	Omni Directional	7 dBi	Includes antenna base with 3 ft extension cable	3-year			
	TEW-A1070B	7 dBi Indoor Omni Directional Antenna	Wireless b/g/n (2.4GHz only)	Omni Directional	7 dBi	Includes antenna base with 3 ft extension cable	3-year			
	TEW-A009D	9 dBi Indoor/Outdoor Directional Antenna	Wireless b/g/n (2.4GHz only)	Directional	9 dBi	Mounting kit included, 6 inch extension cable	3-year			
	TEW-A008O	8 dBi Outdoor Omni Directional Antenna	Wireless b/g/n (2.4GHz only)	Omni Directional	8 dBi	Use with TEW-ASAK Outdoor Arrestor Kit	3-year			
	TEW-A010O	10 dBi Outdoor Omni Directional Antenna	Wireless b/g/n (2.4GHz only)	Omni Directional	10 dBi	Use with TEW-ASAK Outdoor Arrestor Kit	3-year			
	TEW-A012O	12 dBi Outdoor Omni Directional Antenna	Wireless b/g/n (2.4GHz only)	Omni Directional	12 dBi	Use with TEW-ASAK Outdoor Arrestor Kit	3-year			
	TEW-A014D	14 dBi Outdoor High Gain Directional Antenna	Wireless b/g/n (2.4GHz only)	Directional	14 dBi	Use with TEW-ASAK Outdoor Arrestor Kit	3-year			
	TEW-A021D5	20 dBi High Gain Dual Polarized Directional Antenna	Wireless a/n (5GHz only)	Directional	20 dBi	Use with TEW-ASAK Outdoor Arrestor Kit	3-year			
Antenna Cables/Adapters										
	Part Number	Product Name	Description	Warranty						
	TEW-L202	Low Loss Reverse SMA to N-Type Cable	Extend a wireless antenna up to 2 m (6.5 ft). Use with TEW-ASAK.	3-year						
	TEW-L208	Low Loss Reverse SMA to N-Type Cable	Extend a wireless antenna up to 8 m (26.2 ft). Use with TEW-ASAK.	3-year						
	TEW-L406	LMR400 N-Type Male to N-Type Female Cable	Extend a wireless antenna up to 6 m (19.6 ft). Use with TEW-ASAK.	3-year						
	TEW-L412	LMR400 N-Type Male to N-Type Female Cable	Extend a wireless antenna up to 12 m (39.3 ft). Use with TEW-ASAK.	3-year						
	TEW-ASAK	Outdoor Arrestor Kit	Protects networking equipment from multiple lightning strikes.	3-year						

Indoor Antennas and Bluetooth®

High performance dual antennas extend wireless n device coverage



antenna base



antennas



Duo 7dBi Indoor Omni-Directional Antenna
TEW-AI770B

3-year limited warranty



7dBi Indoor Omni-Directional Antenna
TEW-AI070B

- High performance antenna extends wireless coverage
- Works with most 802.11 b/g/n devices that have an SMA-type connector
- Adjustable antenna tilts 180° and rotates 360°



Duo 7dBi Indoor Omni-Directional Antenna
TEW-AI770B

- High gain antennas extend wireless coverage over a larger area
- Adjustable antennas tilt 180° and rotate 360° providing optimal signal coverage
- Antenna base can be mounted on most surfaces
- Works with 2.4GHz wireless b, g and n devices

Bluetooth®

2-year limited warranty



Micro Bluetooth® USB Adapter
TBW-106UB

- Slightly larger than a U.S. penny
- Turn your laptop or desktop into a Bluetooth® enabled workstation
- Class I Bluetooth® up to 100 meters (328 feet) coverage
- Enhanced Data Rate (EDR) support



Micro Bluetooth® USB Adapter
TBW-107UB

- Slightly larger than a U.S. penny
- Turn your laptop or desktop into a Bluetooth® enabled workstation
- Class II Bluetooth® up to 10 meters (32 feet) coverage
- Enhanced Data Rate (EDR) support


Outdoor Antennas/Access Points

High speed point-to-point and point-to-multipoint building connectivity



3-year limited warranty

High Power Wireless N Outdoor PoE Access Point
TEW-676APBO



8dBi Outdoor Omni-Directional Antenna
TEW-AO080

- 8dBi omni-directional antenna
- Create a high-powered blanket outdoor Wi-Fi hotspot
- Withstands winds of up to 134 mph (215 kph)
- Mounts on walls or poles easily



Outdoor Arrestor Kit
TEW-ASAK

- Protects from catastrophic lightning strikes and electrical surges
- N-Type male to Reverse SMA female connector types
- Safeguard your entire network
- Protects from multiple lightning strikes



10dBi Outdoor Omni-Directional Antenna
TEW-A0100

- 10dBi omni-directional antenna



12dBi Outdoor Omni-Directional Antenna
TEW-A0120

- 12dBi omni-directional antenna



14dBi Outdoor High Gain Directional Antenna
TEW-AO14D

- Powerful 14dBi signal strength for building-to-building networking
- Use with TEW-ASAK Outdoor Arrestor Kit
- Includes adjustable swivel mounting kit



High Power Wireless N Outdoor PoE Access Point
TEW-676APBO

- High speed wireless n building-to-building connections
- 1 x 10/100Mbps PoE Auto-MDIX LAN port
- Supports Access Point, Router Access Point, Wireless Distribution System (WDS), Customer Premises Equipment (CPE), and Repeater modes
- IP-66/67 rated aluminum housing



Low Loss Reverse SMA to N-Type Cable
TEW-L202 (2 m, 6.5 ft)



TEW-L208 (8 m, 26.2 ft)



High Power Outdoor Wireless N PoE Access Point
TEW-675APBO

- Antennas not included—requires antennas (TEW-AO21D5) to function
- 1 x 10/100Mbps PoE Auto-MDIX LAN port
- Supports Access Point, Router Access Point, Wireless Distribution System (WDS), Customer Premises Equipment (CPE), and Repeater modes



20dBi High Gain Dual Polarized Directional Antenna
TEW-AO21D5

- Compatible with 5GHz wireless n access points (TEW-675APBO)
- Install with TRENDnet's TEW-ASAL1, Outdoor Arrestor Kit, to protect from catastrophic lightning strikes
- Includes mounting kit

Wired Routers

Proven router performance and reliability



front view



back view



3-year limited warranty

4-Port Gigabit Firewall Router
TWG-BRF214



4-Port Gigabit Firewall Router
TWG-BRF214

- 4 x 10/100/1000Mbps Auto-MDIX LAN ports
- 1 x 10/100/1000Mbps WAN port
- Highly configurable firewall
- Advanced QoS, DoS protection, and access filtering



4-Port Broadband Router
TW100-S4W1CA

- 4 x 10/100Mbps Auto-MDIX LAN ports
- 1 x 10/100Mbps WAN port
- Advanced firewall protection
- Secure remote management




4-Port Fast Ethernet Firewall Router
TW100-BRF214

- 4 x 10/100Mbps Auto-MDIX LAN ports
- 1 x 10/100Mbps WAN port
- Highly configurable firewall
- Advanced QoS, DoS protection, and access filtering



4-Port VPN Firewall Router
TW100-BRV214

- 4 x 10/100 Mbps Auto-MDIX LAN ports
- 1 x 10/100 Mbps WAN port (Internet)
- Define up to 80 Virtual Private Network tunnels
- IPSec, L2TP, and PPTP VPN pass-through support
- Advanced firewall protection



Modems

Combination high speed modem, wired router, and 4-port switch



3-year limited warranty

4-Port ADSL 2/2+ Modem Router
TDM-C504



56K USB Phone/Internet/Fax Modem
TFM-561U

- 1 x RJ-11 port and 1 x USB 2.0 connector
- Powered by your computer's USB port
- Advanced telephone and fax functionality



ADSL 2/2+ Modem Router
TDM-C500

- 1 x 10/100Mbps Auto-MDIX RJ-45 port, 1 x RJ-11 port, and 1 x USB 2.0
- On / off power button
- 1 x 10/100Mbps Auto-MDIX LAN port
- Compatible with ADSL 2, ADSL 2+, Annex A, Annex L, and Annex M ISP networks



56K External Data/Fax/TAM Modem
TFM-560X

- 2 x RJ-11 ports and 1 x RS-232 port
- Data communications from your PC over telephone lines
- ITU-T V.92/V.90 Auto Detection and Auto Rate Adaptive
- User friendly data, fax, and TAM software



56K USB Data/Fax/TAM Modem
TFM-PCIV92A

- 2 x RJ-11 ports
- Data communications from your PC over telephone lines
- User friendly data, fax, and TAM software



300Mbps Wireless N ADSL 2/2+ Modem Router
TEW-658BRM

- Combination ADSL 2/2+ modem and wireless n router
- 1 x ADSL 2/2+ enabled phone jack
- 4 x 10/100Mbps Auto-MDIX LAN ports
- Compatible with ADSL, ADSL2, and ADSL2+ standards



500Mbps Powerline

Highest performance Powerline available



European adapter



UK adapter



500Mbps Powerline AV Adapter with Bonus Outlet TPL-402E

3-year limited warranty



500Mbps Powerline AV Adapter Kit with Bonus Outlet TPL-402E2K

- Includes two TPL-402E adapters
- Never lose an electrical outlet with the built in socket
- 500Mbps networking speeds from any electrical outlet
- 1 x 10/100/1000Mbps Auto-MDIX port



500Mbps Powerline AV Adapter with Bonus Outlet TPL-402E

- 500Mbps networking speeds from any electrical outlet
- 1 x 10/100/1000Mbps Auto-MDIX port
- Never lose an electrical outlet with the built in socket
- Advanced noise filter boosts performance



500Mbps Powerline AV Adapter Kit TPL-401E2K

- Includes two TPL-401E adapters
- 500Mbps networking speeds from any electrical outlet
- 1 x 10/100/1000Mbps Auto-MDIX port
- Connect up to 16 adapters



500Mbps Powerline AV Adapter TPL-401E

- 500Mbps networking speeds from any electrical outlet
- 1 x 10/100/1000Mbps Auto-MDIX port
- Devices auto-connect when plugged in
- Advanced Powerline encryption



4-Port 500Mbps Powerline AV Adapter TPL-405E

- Network all media center devices such as gaming consoles, Blu-rays, Internet televisions, and NVRs to the four Gigabit ports
- 4 x 10/100/1000Mbps Auto-MDIX ports
- Advanced AES data encryption



200Mbps Powerline

High speed building-wide networking from any electrical outlet



European adapter



UK adapter



200Mbps Compact Powerline AV Adapter
TPL-306E

3-year limited warranty



200Mbps Powerline AV Adapter Kit with Bonus Outlet
TPL-307E2K

- Includes two TPL-307E adapters
- Building-wide HD networking from any electrical outlet
- Never lose an electrical outlet with the built in socket
- Compact form factor does not block adjacent electrical outlets



200Mbps Powerline AV Adapter with Bonus Outlet
TPL-307E

- Never lose an electrical outlet with the built in socket
- Building-wide HD networking from any electrical outlet
- 1 x 10/100Mbps Auto-MDIX port
- Advanced noise filter boosts performance



200Mbps Compact Powerline AV Adapter Kit
TPL-306E2K

- Includes two TPL-306E adapters
- Compact form factor saves space
- Create a 200Mbps wireless network from any outlet in your home
- Stream HD video to your media center



200Mbps Compact Powerline AV Adapter
TPL-306E

- Create a 200Mbps wireless network from any outlet in your home
- Compact form factor saves space
- 1 x 10/100Mbps Auto-MDIX port
- Advanced AES data encryption



3-Port 200Mbps Powerline AV Adapter
TPL-305E

- 3 x 10/100Mbps Auto-MDIX ports to network TVs, DVRs, gaming consoles, computers and more
- High speed building-wide networking from any electrical outlet
- Connect up to 16 adapters



200Mbps Powerline AV Wireless N Access Point
TPL-310AP


- Combination 200Mbps Powerline adapter and 300Mbps wireless n access point
- Create a 300Mbps wireless network from any outlet in your home
- 1 x 10/100Mbps Auto-MDIX port Wireless n access point offers AP, Client, WDS, and MESH functionality

Print Servers

Share printer resources across the entire network



side 1 view



side 2 view



3-year limited warranty

1-Port Wireless N Multi-Function Print Server
TEW-MFP1



1-Port Wireless N Multi-Function Print Server
TEW-MFP1

- Scan, fax, and copy from any workstation
- High speed Wireless N (with optional wired connection)
- 1 x 10/100Mbps Ethernet port and 1 x USB 2.0 port
- Compact form factor
- Intuitive Utility supports Windows and Mac OS



1-Port Multi-Function Print Server
TE100-MFP1

- Scan, fax, and copy from any workstation
- 1 x 10/100Mbps Ethernet port and 1 x USB 2.0 port
- Compact form factor
- Intuitive Utility supports Windows and Mac OS



1-Port Print Server
TE100-P1U

- Connects most USB printers to your network
- Easy setup and management
- 1 x USB port and 1 x RJ-45 Fast Ethernet port



3-Port Print Server
TE100-P21

- Connect 2 USB port printers and 1 parallel port printer
- Provides high speed USB 2.0 printing
- 1 x parallel port, 2 x USB ports, and 1 x RJ-45 Fast Ethernet port



Managed Layer 2 Switches

Reliable foundation for a highly scalable managed network



3-year limited warranty

24-Port Gigabit Layer 2 Switch
TL2-G244



24-Port Gigabit Layer 2 Switch
TL2-G244

- SNMP (v1, v2c, v3), 802.1x, RSTP, and MSTP support
- 24 x Gigabit Auto-MDIX ports
- 4 x shared SFP (Mini-GBIC slots) and 1 x RS-232 console port
- 48Gbps switching capacity



24-Port 10/100Mbps Layer 2 Switch
TL2-E284

- 24 x 10/100Mbps Auto-MDIX ports
- 4 x Gigabit ports, 2 x shared SFP slots, and 1 x RS-232 console port
- 12.8Gbps switching capacity
- Supports SNMP, 802.1x, RSTP, MSTP, Port Trunking, Port Mirroring, IGMP, VLAN, RMON, QoS, and more



8-Port 100base-FX Layer 2 Managed Fiber Switch
TEG-S081FMi

- 8 x 100Base-FX (SC) Multi-Mode fiber ports
- 1 x Gigabit Mini-GBIC slot and 1 x RS-232 serial port
- Supports SNMP, Telnet, IGMP, Port Trunking, Port Mirroring, and VLAN
- 3.8Gbps switching capacity



8-Port 10/100Mbps Layer 2 Managed Switch
TE100-S810Fi

- 8 x 10/100Mbps Auto-MDIX ports
- 1 x 100Base-FX Multi-Mode SC type fiber port
- Supports SNMP, Telnet, IGMP, Port Trunking, Port Mirroring, and VLAN
- 3.8Gbps Switching capacity



8-Port 10/100Mbps Layer 2 Managed Switch
TEG-S811Fi

- 8 x 10/100Mbps Auto-MDIX ports
- 1 x Gigabit RJ-45 port, 1 x Mini-GBIC slot, and 1 x RS-232 serial port
- Supports Port Trunking, SNMP, IGMP, and VLAN
- 5.6Gbps switching capacity



8-Port 10/100Mbps Layer 2 Managed Switch
TE100-S800i

- 8 x 10/100Mbps Auto-MDIX Fast Ethernet ports
- Supports Port Trunking, SNMP, IGMP, VLAN, and more
- 3.8Gbps switching capacity

Web Smart Switches

Feature rich Managed Layer 2 functionality at a reduced cost



3-year limited warranty

48-Port Gigabit Web Smart Switch with 4 Shared Mini-GBIC Slots
TEG-448WS



48-Port Gigabit Web Smart Switch with 4 Shared Mini-GBIC Slots
TEG-448WS

- 48 x Gigabit Auto-MDIX ports
- 4 x mini-GBIC slots (shared)
- Supports SNMP, 802.1x, 802.1Q, 802.1P, 802.3x, 802.1W, 802.1D, IGMP, Port Trunking, and Port Mirroring
- 96Gbps switching capacity



48-Port 10/100Mbps Web Smart Switch w/ 4 Gigabit Ports and 2 Mini-GBIC Slots
TEG-2248WS

- 48 x 10/100Mbps Auto-MDIX ports
- 4 x Gigabit ports and 2 x mini-GBIC slots (shared)
- Supports SNMP, 802.1x, 802.1Q, 802.1P, 802.3x, 802.1W, 802.1D, IGMP, Port Trunking, and Port Mirroring
- 17.6Gbps switching capacity



24-port Gigabit Web Smart Switch w/ 2 Shared Mini-GBIC Slots
TEG-240WS

- 24 x Gigabit Auto-MDIX ports
- 2 x mini-GBIC slots (shared)
- Supports SNMP, 802.1x, 802.1Q, 802.1P, 802.3x, 802.1W, 802.1D, IGMP, Port Trunking, and Port Mirroring
- 48Gbps switching capacity



24-Port 10/100Mbps Web Smart Switch w/ 4 Gigabit Ports and 2 Mini-GBIC Slots
TEG-424WS

- 24 x 10/100Mbps Auto-MDIX ports
- 4 x Gigabit ports and 2 x mini-GBIC slots (shared)
- Supports SNMP, 802.1x, 802.1Q, 802.1P, 802.3x, 802.1W, 802.1D, IGMP, Port Trunking, and Port Mirroring
- 12.8Gbps switching capacity



16-port Gigabit Web Smart Switch w/ 2 Shared Mini-GBIC Slots
TEG-160WS

- 16 x Gigabit Auto-MDIX ports
- 2 x mini-GBIC slots (shared)
- Supports SNMP, 802.1x, 802.1Q, 802.1P, 802.3x, 802.1W, 802.1D, IGMP, Port Trunking, and Port Mirroring
- 32Gbps switching capacity



24-Port 10/100Mbps Web Smart PoE Switch with 4 Gigabit Ports and 2 Mini-GBIC Slots
TPE-224WS

- 24 x 10/100Mbps PoE Auto-MDIX ports
- 4 x Gigabit ports and 2 x mini-GBIC slots (shared)
- Supports 802.1Q, 802.1P, 802.3x, 802.1W, IGMP, Port Trunking, and Port Mirroring
- 12.8Gbps switching capacity



8-Port Gigabit Web Smart PoE Switch
TPE-80WS

- 8 x Gigabit PoE Auto-MDIX ports and 1 x RS-232 serial port
- Digital display lists available PoE power
- Supports SNMP, 802.1x, 802.1Q, 802.1P, 802.3x, 802.1W, 802.1D, IGMP, Port Trunking, and Port Mirroring
- 16Gbps switching capacity



Unmanaged Gigabit Switches

Ideal for unmanaged heavy data applications



3-year limited warranty

24-Port Gigabit GREENnet Switch
TEG-S24Dg



24-Port Gigabit GREENnet Switch
TEG-S24g

- 24 x Gigabit Auto-MDIX ports
- Rack mountable sturdy metal enclosure
- Up to 70% GREENnet power savings
- 48Gbps switching capacity
- 9Kbyte Jumbo Frame support



24-Port Gigabit GREENnet Switch
TEG-S24Dg

- Compact 11" wide metal housing
- 24 x Gigabit Auto-MDIX ports
- Up to 70% GREENnet power savings
- 48Gbps forwarding capacity



16-Port Gigabit GREENnet Switch
TEG-S16g

- 16 x Gigabit Auto-MDIX ports
- Rack mountable sturdy metal enclosure
- Up to 70% GREENnet power savings
- 32Gbps switching capacity
- 9Kbyte Jumbo Frame support



16-Port Gigabit GREENnet Switch
TEG-S16Dg

- Compact 11" wide metal housing
- 16 x Gigabit Auto-MDIX ports
- Up to 70% GREENnet power savings
- 32Gbps switching capacity and 9Kbyte Jumbo Frame support



8-Port Gigabit GREENnet Switch
TEG-S80g

- 8 x Gigabit Auto-MDIX ports
- Up to 70% GREENnet power savings
- Sturdy metal switch and 9Kbyte Jumbo Frame support



TEG-S8g
(plastic)



5-Port Gigabit GREENnet Switch
TEG-S50g

- 5 x Gigabit Auto-MDIX ports
- Up to 70% GREENnet power savings
- Sturdy metal switch
- 9Kbyte Jumbo Frame support



TEG-S5g
(plastic)



8-Port Gigabit GREENnet Switch
TEG-S80Dg

- Internal power supply
- 8 x Gigabit Auto-MDIX ports
- Up to 70% GREENnet power savings
- Sturdy metal switch with 9Kbyte Jumbo Frame support



24-Port 10/100Mbps Switch with 2 Gigabit Ports
TEG-S224

- 24 x 10/100Mbps and 2 x Gigabit Auto-MDIX ports
- Rack mountable sturdy metal enclosure
- 8.8Gbps switching capacity
- 9Kbyte Jumbo Frame Support

Unmanaged Fast Ethernet Switches

Reliable unmanaged switch with up to 40% GREENnet energy savings



front view



back view



3-year limited warranty

24-Port 10/100Mbps GREENnet Switch
TE100-S24g



24-Port 10/100Mbps GREENnet Switch
TE100-S24g

- GREENnet technology reduces power consumption by up to 40%
- 24 x 10/100Mbps Auto-MDIX ports
- 4.8Gbps switching capacity
- Rack mountable sturdy metal enclosure



16-Port 10/100Mbps GREENnet Switch
TE100-S16g

- Up to 40% GREENnet energy savings
- 16 x 10/100Mbps Auto-MDIX ports
- 3.2Gbps switching capacity
- Rack mountable sturdy metal enclosure



16-Port 10/100Mbps Compact GREENnet Switch
TE100-S16Eg

- 16 x 10/100Mbps Auto-MDIX ports
- 3.2Gbps switching capacity
- Up to 40% GREENnet energy savings
- Plug and Play this sturdy metal switch



24-Port 10/100Mbps Switch
TE100-S24D

- 24 x 10/100Mbps Auto-MDIX RJ-45 ports
- 4.8 Gbps switching capacity



16-Port 10/100Mbps Switch
TE100-S16D

- 16 x 10/100Mbps Auto-MDIX RJ-45 ports
- 3.2 Gbps switching capacity



8-Port 10/100Mbps GREENnet Switch
TE100-S80g

- 8 x 10/100Mbps Auto-MDIX ports
- Up to 40% GREENnet energy savings
- Plug and Play this sturdy metal switch
- 1.6Gbps switching capacity



8-Port 10/100Mbps Switch
TE100-S8

- 8 x 10/100Mbps Auto-MDIX ports
- Plug and Play
- 1.6Gbps switching capacity



5-Port 10/100Mbps GREENnet Switch
TE100-S50g

- 5 x 10/100Mbps Auto-MDIX ports
- Up to 40% GREENnet energy savings
- Plug and Play this sturdy metal switch
- 1Gbps switching capacity



5-Port 10/100Mbps Switch
TE100-S5

- 5 x 10/100Mbps Auto-MDIX ports
- Plug and Play
- 1Gbps switching capacity

Switches

Over 20 year producing reliable switches with leading warranties



48-Port 10/100Mbps Web Smart Switch w/ 4 Gigabit Ports and 2 Mini-GBIC Slots
TEG-2248WS

Unmanaged Switches 10/100Mbps										
Part Number	Product Name	Housing	Width	Ports	Switching Fabric	Features			Warranty	
TE100-S5	5-Port 10/100Mbps Switch	Plastic	3.9 in (9.9 cm)	5x 10/100Mbps	1Gbps	Plug and Play, Auto-Negotiation			3-year	
TE100-S8	8-Port 10/100Mbps Switch	Plastic	6.0 in (15.2 cm)	8x 10/100Mbps	1.6Gbps	Plug and Play, Auto-Negotiation			3-year	
TE100-S16D	16-Port 10/100Mbps Switch	Plastic	10.3 in (26.2 cm)	16x 10/100Mbps	3.2Gbps	Plug and Play, Auto-Negotiation			3-year	
TE100-S24D	24-Port 10/100Mbps Switch	Plastic	10.3 in (26.2 cm)	24x 10/100Mbps	4.8Gbps	Plug and Play, Auto-Negotiation			3-year	
TE100-S50g	5-Port 10/100Mbps GREENnet Switch	Metal	4.6 in (11.6 cm)	5x 10/100Mbps	1Gbps	GREENnet power saving up to 40%			3-year	
TE100-S80g	8-Port 10/100Mbps GREENnet Switch	Metal	5.4 in (13.6 cm)	8x 10/100Mbps	1.6Gbps	GREENnet power saving up to 40%			3-year	
TE100-S16g	16-Port 10/100Mbps GREENnet Switch	Metal	17.3 in (43.9 cm)	16x 10/100Mbps	3.2Gbps	GREENnet power saving up to 40%			3-year	
TE100-S16Eg	16-Port 10/100Mbps GREENnet Switch (Desktop)	Metal	7.2 in (18.3 cm)	16x 10/100Mbps	3.2Gbps	GREENnet power saving up to 40%			3-year	
TE100-S24g	24-Port 10/100Mbps GREENnet Switch	Metal	17.3 in (43.9 cm)	24x 10/100Mbps	4.8Gbps	GREENnet power saving up to 40%			3-year	
Unmanaged Switches 10/100/1000Mbps (Gigabit)										
Part Number	Product Name	Housing	Width	Ports	Switching Fabric	Special Features			Warranty	
TEG-S5g	5-Port Gigabit GREENnet Switch	Plastic	5.9 in (15.0 cm)	5x Gigabit	10Gbps	GREENnet power savings of up to 70%			3-year	
TEG-S8g	8-Port Gigabit GREENnet Switch	Plastic	5.9 in (15.0 cm)	8x Gigabit	16Gbps	GREENnet power savings of up to 70%			3-year	
TEG-S50g	5-Port Gigabit GREENnet Switch	Metal	6.7 in (17.1 cm)	5x Gigabit	10Gbps	GREENnet power savings of up to 70%			3-year	
TEG-S80g	8-Port Gigabit GREENnet Switch	Metal	6.7 in (17.1 cm)	8x Gigabit	16Gbps	GREENnet power savings of up to 70%			3-year	
TEG-S80Dg	8-Port Gigabit GREENnet Switch	Metal	6.7 in (17.1 cm)	8x Gigabit	16Gbps	Power savings of up to 70%, and internal power adapter			3-year	
TEG-S16Dg	16-Port Gigabit GREENnet Switch	Metal	11.0 in (27.9 cm)	16x Gigabit	32Gbps	Power savings of up to 70%, and internal power adapter			3-year	
TEG-S24Dg	24-Port Gigabit GREENnet Switch	Metal	11.0 in (27.9 cm)	24x Gigabit	48Gbps	Power savings of up to 70%, and internal power adapter			3-year	
TEG-S16g	16-Port Gigabit GREENnet Switch	Metal	17.3 in (43.9 cm)	16x Gigabit	32Gbps	GREENnet power saving up to 70%			3-year	
TEG-S24g	24-Port Gigabit GREENnet Switch	Metal	17.3 in (43.9 cm)	24x Gigabit	48Gbps	GREENnet power saving up to 70%			3-year	
TEG-S224	24-Port 10/100Mbps Switch with 2 Gigabit Ports	Metal	17.3 in (43.9 cm)	24x 10/100Mbps, 2x Gigabit	8.8Gbps	Rackmount			3-year	
Web Smart Switches 10/100/1000Mbps (Gigabit)										
Part Number	Product Name	Housing	Width	Ports	Switching Fabric	SNMP	802.1X STP, VLAN, QoS and Trunking		Warranty	
TPE-80WS	8-Port Gigabit Web Smart PoE Switch	Metal	11.0 in (27.9 cm)	8x PoE Gigabit	16Gbps	Yes	Yes		3-year	
TEG-160WS	16-port Gigabit Web Smart Switch w/ 2 Shared Mini-GBIC Slots	Metal	17.3 in (43.9 cm)	16x Gigabit, 2 Mini-GBIC (shared)	32Gbps	Yes	Yes		3-year	
TPE-224WS	24-Port 10/100Mbps Web Smart PoE Switch w/ 4 Gigabit Ports and 2 Mini-GBIC Slots	Metal	17.3 in (43.9 cm)	24x PoE 10/100Mbps, 4x Gigabit, 2x Mini-GBIC	12.8Gbps	Yes	Yes		3-year	
TEG-424WS	24-Port 10/100Mbps Web Smart Switch w/ 4 Gigabit Ports and 2 Mini-GBIC Slots	Metal	17.3 in (43.9 cm)	24x 10/100Mbps, 4x Gigabit, 2x Mini-GBIC (shared)	12.8Gbps	Yes	Yes		3-year	
TEG-240WS	24-Port Gigabit Web Smart Switch w/ 2 Shared Mini-GBIC Slots	Metal	17.3 in (43.9 cm)	24x Gigabit, 2 Mini-GBIC (shared)	48Gbps	Yes	Yes		3-year	
TEG-448WS	48-Port Gigabit Web Smart Switch w/ 4 Shared Mini-GBIC Slots	Metal	17.3 in (43.9 cm)	48x Gigabit, 4x Mini-GBIC (shared)	96Gbps	Yes	Yes		3-year	
TEG-2248WS	48-Port 10/100Mbps Web Smart Switch w/ 4 Gigabit Ports and 2 Mini-GBIC Slots	Metal	17.3 in (43.9 cm)	48x 10/100Mbps, 4x Gigabit, 2x Mini-GBIC (shared)	17.6Gbps	Yes	Yes		3-year	
Managed Layer 2 Switches 10/100Mbps										
Part Number	Product Name	Housing	Width	Ports	Switching Fabric	SNMP	802.1X STP, VLAN, QoS and Trunking		Warranty	
TE100-S800i	8-port 10/100Mbps Layer 2 Managed Switch	Metal	9.8 in (24.9 cm)	8x 10/100Mbps	1.6Gbps	Yes	Yes		3-year	
TE100-S810Fi	8-Port 10/100Mbps Layer 2 Managed Switch w/ 100Base-FX Port	Metal	9.8 in (24.9 cm)	8x 10/100Mbps, 1x 100-Base-FX	1.8Gbps	Yes	Yes		3-year	
TL2-E284	24-Port 10/100Mbps Layer 2 Switch w/ 4 Gigabit Ports and 2 Shared Mini-GBIC Slots	Metal	17.3 in (43.9 cm)	24x 10/100Mbps, 4 Gigabit, 2 SFP (Mini-GBIC), 1x RS-232	12.8Gbps	Yes	Yes		3-year	
ETH-S8i	Rack Mount Kit for TE100-S800i and TE100-S810Fi								3-year	
Managed Layer 2 Switches 10/100/1000Mbps (Gigabit)										
Part Number	Product Name	Housing	Width	Ports/Slots	Switching Fabric	SNMP	802.1X STP, VLAN, QoS and Trunking		Warranty	
TEG-S081FMI	8-Port 100base-FX Layer 2 Managed Fiber Switch w/ Mini-GBIC Port	Metal	17.3 in (43.9 cm)	8x 100Base-FX, 1x Mini-GBIC, 1x RS-232	3.6Gbps	Yes	Yes (No 802.1X)		3-year	
TEG-S811Fi	8-Port 10/100Mbps Layer 2 Managed Switch w/ Gigabit Copper and Mini-GBIC Slot	Metal	8.5 in (21.6 cm)	8x 10/100Mbps, 1x Gigabit, 1x Mini-GBIC, 1x RS-232	5.6Gbps	Yes	Yes		3-year	
TL2-G244	24-Port Gigabit Layer 2 Switch w/ 4 Shared Mini-GBIC Slots	Metal	17.3 in (43.9 cm)	24x Gigabit, 4 SFP (Mini-GBIC shared), 1x RS-232	48Gbps	Yes	Yes		3-year	
Power over Ethernet (PoE)										
Part Number	Product Name	Housing	Width	Ports	Switching Fabric	SNMP	Web Interface	VLAN, QoS and Trunking	Warranty	
TPE-S44	8-Port 10/100Mbps PoE Switch	Metal	6.7 in (17.1 cm)	4x 10/100Mbps, 4x PoE 10/100Mbps	1.6Gbps	-	-	-	3-year	
TPE-S80	8-Port 10/100Mbps PoE Switch	Metal	10.5 in (26.7 cm)	8x PoE 10/100Mbps	1.6Gbps	-	-	-	3-year	
TPE-S160	16-Port 10/100Mbps PoE Switch	Metal	17.3 in (43.9 cm)	16x PoE 10/100Mbps	3.2Gbps	-	-	-	3-year	
TPE-80WS	8-Port Gigabit Web Smart PoE Switch	Metal	11.0 in (27.9 cm)	8x PoE Gigabit	16Gbps	Yes	Yes	Yes	3-year	
TPE-224WS	24-Port 10/100Mbps Web Smart PoE Switch with 4 Gigabit Ports and 2 Mini-GBIC Slots	Metal	17.3 in (43.9 cm)	24x PoE 10/100Mbps, 4x Gigabit, 2x Mini-GBIC (shared)	12.8Gbps	-	Yes	Yes	3-year	
TPE-111Gi	Gigabit Power over Ethernet Injector	Combines power and data over a single Ethernet cable. Powers devices such as TRENDnet PoE access points and PoE Internet cameras.								3-year
TPE-112GS	Gigabit Power over Ethernet Splitter	Splits power/data from an Ethernet cable into two separate sources. Use with a TRENDnet PoE switch to power and network a non PoE device.								3-year
TV-JC35	5.5mm to 3.5mm Jumper Cable	Used to connect PoE Splitters to 3.5mm 12V power ports (compatible with TV-IP422 and TV-IP410 series Internet Cameras).								3-year
TEW-676APBO	14 dBi High Power Wireless N Outdoor PoE Access Point	Supports a variety of installation scenarios with Access Point, Router Access Point, Wireless Distribution System (WDS), Customer Premises Equipment (CPE), and Repeater modes.								3-year
TEW-653AP	300Mbps Wireless N PoE Access Point	Wireless n access point with 1x PoE 10/100Mbps LAN port, up to WPA2-PSK encryption, MIMO, WMM QoS, WPS, WDS, wall/ceiling mounting kit.								3-year
TEW-638PAP	300Mbps Wireless N PoE Access Point	PoE Access Point, featuring WDS, detachable antennas, WPS, WMM QoS, multiple SSIDs, Repeater, on/off power switch, and AP Client mode.								3-year
TEW-455APBO	14 dBi High Power Wireless Outdoor PoE Access Point	IP-66 rated outdoor access point with 1x PoE 10/100Mbps LAN port, WPA2-RADIUS encryption, 14 dBi antenna, WDS, CPE mode, and option for external antenna.								3-year
TV-IP612P	PoE Pan/Tilt/Zoom Internet Camera	PoE Pan/Tilt/Zoom camera with 704 x 576 resolution at 30fps, H.264, MPEG-4, or MJPEG, Day / Night mode, 2-way audio, 10x optical zoom, 16x digital zoom.								3-year
TV-IP522P	MegaPixel PoE Internet Camera	PoE camera with 1280 x 960 resolution at 15fps, MPEG-4 or MJPEG compression, 2-way audio, 16x digital zoom and GPIO ports.								3-year
TV-IP512P	PoE Internet Camera	PoE camera with 640 x 480 resolution at 30fps, MPEG-4 or MJPEG compression, 2-way audio, 16x digital zoom and GPIO ports.								3-year
TV-IP501P	PoE Internet Camera	PoE camera with 640 x 480 resolution at 30fps, MJPEG compression, and 1-way audio.								3-year
TV-IP322P	Outdoor PoE Megapixel Day/Night Internet Camera	Capture high quality image with the resolution of up to 1280 x 1024. Outdoor installation ready with an IP66 weather proof rating. Powered by Power over Ethernet (PoE) cables.								3-year
TV-IP252P	PoE Fixed Dome Internet Camera	Adjustable fixed position, PoE tinted dome camera with 640 x 480 resolution at 30fps, MPEG-4 or MJPEG compression and GPIO ports.								3-year

Fiber

Zero downtime expandable managed fiber chassis



16 modules installed



9 modules installed



3-year limited warranty

16-Bay Fiber Converter Chassis System TFC-1600



SNMP Management Module for TFC-1600 TFC-1600MM

- Provides chassis and port level SNMP management reporting
- 1 x 10/100Mbps Auto-MDIX port
- 1 x RS-232 console port
- Reports cooling fan and power supply status



Redundant Power Supply Module for TFC-1600 TFC-1600RP / TFC-1600R48

- Ensure zero downtime for mission critical networks
- Hot swappable TFC-1600RP is designed for 100 ~ 240 V AC power supplies
- TFC-1600R48 is designed for -40 ~ 72 V DC power supplies



Intelligent 1000Base-T to 1000Base-SX Multi-Mode SC Fiber Converter TFC-1000MSC

- Works with the TFC-1600 Fiber chassis or as a stand-alone converter
- SC-type multi-mode Fiber port connects over distances of up to 550 m (1,800 ft)
- 1 x Gigabit Auto-MDIX port
- Supports port level SNMP management



100Base-TX to 100Base-FX Multi Mode SC Fiber Converter TFC-110MSC

- Works with the TFC-1600 Fiber chassis or as a stand-alone converter
- SC-type multi-mode Fiber port connects over distances of up to 2 km (1.2 mi)
- 1 x 10/100Mbps Auto-MDIX port

Fiber Switches										
Part Number	Product Name	Housing	Width	100Base Ports	Other Ports	Switching Fabric	SNMP support	VLAN, QoS and Trunking	Warranty	
TE100-S810Fi	8-Port 10/100Mbps Layer 2 Managed Switch w/ 100Base-FX Port	Metal	9.8 in (24.9 cm)	1x FX SC	8x 10/100Mbps	1.8Gbps	Yes	Yes	3-year	
TEG-S081FiMi	8-Port 100Base-FX Layer 2 Managed Fiber Switch w/ Mini-GBIC Port	Metal	17.3 in (43.9 cm)	8x FX SC	1x Mini-GBIC	3.6Gbps	Yes	Yes	3-year	
TFC-1600 Fiber Chassis and Compatible Converters										
Part Number	Product Name	Description								Warranty
TFC-1600	16-Bay Fiber Converter Chassis System	16 bay SNMP supported (with TFC-1600MM), hot swap fiber chassis. Zero downtime optional redundant power supply (TFC-1600RP).								3-year
TFC-1600MM	SNMP Management Module	Provides SNMP chassis reporting and supports port based management. Reports cooling fan and power supply status.								3-year
TFC-1600RP	100-240V Redundant Power Supply Module	Ensure zero downtime. Over voltage and short circuit feature. Hot swappable for use with 100 ~ 240 VAC power supplies.								2-year
TFC-1600R48	48V Redundant Power Supply Module	Hot swappable for use with -40 VDC ~ 72 VDC (nominal 48VDC) power supplies. Ensure zero downtime with over voltage protection.								2-year
TFC-1600 Fiber Converters										
Part Number	Product Name	Fiber Connector	Fiber Mode	Distance	SNMP support	Warranty				
TFC-110MM	100Base-TX to 100Base-FX Multi Mode MT-RJ Fiber Converter	Duplex MT-RJ	Multi	2km (1.2 miles)	-	3-year				
TFC-110MSC	100Base-TX to 100Base-FX Multi Mode SC Fiber Converter	Duplex SC	Multi	2km (1.2 miles)	-	3-year				
TFC-110MST	100Base-TX to 100Base-FX Multi Mode ST Fiber Converter	Duplex ST	Multi	2km (1.2 miles)	-	3-year				
TFC-110S15	100Base-TX to 100Base-FX Single Mode SC Fiber Converter	Duplex SC	Single	15km (9.3 miles)	-	3-year				
TFC-110S30	100Base-TX to 100Base-FX Single Mode SC Fiber Converter	Duplex SC	Single	30km (18.6 miles)	-	3-year				
TFC-110S60	100Base-TX to 100Base-FX Single Mode SC Fiber Converter	Duplex SC	Single	60km (37.3 miles)	-	3-year				
TFC-110S100	100Base-TX to 100Base-FX Single Mode SC Fiber Converter	Duplex SC	Single	100km (62.1 miles)	-	3-year				
TFC-110S15i	Intelligent 10/100Base-TX to 100Base-FX Single Mode SC Fiber Converter	Duplex SC	Single	15km (9.3 miles)	Yes	3-year				
TFC-110S30i	Intelligent 10/100Base-TX to 100Base-FX Single Mode SC Fiber Converter	Duplex SC	Single	30km (18.6 miles)	Yes	3-year				
TFC-110S60i	Intelligent 10/100Base-TX to 100Base-FX Single Mode SC Fiber Converter	Duplex SC	Single	60km (37.3 miles)	Yes	3-year				
TFC-110S20D3	100Base-TX to 100Base-FX Dual Wavelength Single Mode SC Fiber Converter TX1310	Simplex SC	Single	20km (12.4 miles)	-	3-year				
TFC-110S20D5	100Base-TX to 100Base-FX Dual Wavelength Single Mode SC Fiber Converter TX1550	Simplex SC	Single	20km (12.4 miles)	-	3-year				
TFC-110S40D3	100Base-TX to 100Base-FX Dual Wavelength Single Mode SC Fiber Converter TX1310	Simplex SC	Single	40km (24.9 miles)	-	3-year				
TFC-110S40D5	100Base-TX to 100Base-FX Dual Wavelength Single Mode SC Fiber Converter TX1550	Simplex SC	Single	40km (24.9 miles)	-	3-year				
TFC-11MS100	100Base-FX Multi Mode to Single Mode SC Fiber Converter	Duplex SC	Single/Multi	15km (9.3 miles)	-	3-year				
TFC-1000MGA	10/100/1000BASE-T to SFP Media Converter	SFP (Mini-GBIC)	Single/Multi	80km (50 miles)	-	3-year				
TFC-1000MSC	Intelligent 1000Base-T to 1000Base-SX Multi-Mode SC Fiber Converter	Duplex SC	Multi	220-550m (720-1800 ft)	Yes	3-year				
TFC-1000MGB	Intelligent 1000Base-T to 1000Base-FX Single/Multi Mode RJ-45 Fiber Converter	Mini-GBIC	Single/Multi	220-550m (720-1800 ft)	Yes	3-year				
TFC-1000S20	Intelligent 1000Base-T to 1000Base-FX Single Mode SC Fiber Converter	Duplex SC	Single	20km (12.4 miles)	Yes	3-year				
TFC-1000S50	Intelligent 1000Base-T to 1000Base-FX Single Mode SC Fiber Converter	Duplex SC	Single	50km (31 miles)	Yes	3-year				
TFC-1000S70	Intelligent 1000Base-T to 1000Base-FX Single Mode SC Fiber Converter	Duplex SC	Single	70km (43.5 miles)	Yes	3-year				
TFC-1000S10D3	Intelligent 1000Base-TX to 1000Base-FX Dual Wavelength Single Mode SC Fiber Converter TX1310	Simplex SC	Single	10km (6.2 miles)	Yes	3-year				
TFC-1000S10D5	Intelligent 1000Base-TX to 1000Base-FX Dual Wavelength Single Mode SC Fiber Converter TX1550	Simplex SC	Single	10km (6.2 miles)	Yes	3-year				
TFC-1000S40D3	Intelligent 1000Base-TX to 1000Base-FX Dual Wavelength Single Mode SC Fiber Converter TX1310	Simplex SC	Single	40km (24.9 miles)	Yes	3-year				
TFC-1000S40D5	Intelligent 1000Base-TX to 1000Base-FX Dual Wavelength Single Mode SC Fiber Converter TX1550	Simplex SC	Single	40km (24.9 miles)	Yes	3-year				

Power over Ethernet (PoE)

Provides up to 15.4 watts per PoE port and a 3.2Gbps switching capacity



3-year limited warranty

16-Port 10/100Mbps PoE Switch
TPE-S160



24-Port 10/100Mbps Web Smart PoE Switch
TPE-224WS

- 24 x 10/100Mbps PoE Auto-MDIX ports
- 4 x Gigabit Auto-MDIX ports and 2 x mini-GBIC slots (shared)
- Supports 802.1Q, 802.1P, 802.3x, 802.1W, IGMP, Port Trunking, Port Mirroring, and Broadcast Storm Control
- 12.8Gbps switching capacity



8-Port Gigabit Web Smart PoE Switch
TPE-80WS

- 8 x Gigabit PoE Auto-MDIX ports and 1 x RS-232 serial port
- Digital display lists available PoE power
- Supports SNMP, 802.1x, 802.1Q, 802.1P, 802.3x, 802.1W, 802.1D, IGMP, Port Trunking, Port Mirroring, and Broadcast Storm Control
- 16Gbps switching capacity



8-Port 10/100Mbps PoE Switch
TPE-S80

- Reduces equipment cost by delivering data and power over existing network cables
- 8 x 10/100Mbps PoE Auto-MDIX ports
- Up to 15.4 watts per PoE port
- 1.6Gbps switching capacity




8-Port 10/100Mbps PoE Switch
TPE-S44

- 4 x 10/100Mbps and 4 x 10/100Mbps PoE Auto-MDIX ports
- Up to 15.4 watts per PoE port
- 1.6Gbps switching capacity




Gigabit Power over Ethernet Splitter
TPE-114GS

- Used to install non-PoE devices in remote locations
- Splits a networked PoE signal into separate power and Gigabit data sources
- Use this compact device with TRENDnet PoE switches



Gigabit Power over Ethernet Injector
TPE-113GI

- Use non-PoE switches to network PoE devices at distances of up to 100 meters (328 feet)
- Save on installation and equipment costs



PoE Access Points



TEW-653AP



TEW-638PAP



TEW-676APBO

PoE IP Cameras



TV-IP612P



TV-IP522P



TV-IP512P



TV-IP252P

Megapixel Cameras

Improved security with megapixel resolution



3-year limited warranty

Megapixel Wireless N Day/Night PTZ Internet Camera
TV-IP672WI



Megapixel PoE Day/Night PTZ Internet Camera
TV-IP672PI

- 1280 x 800 megapixel resolution with H.264 compression
- Night vision of up to 7.5 m (16 ft)
- Save installation costs with PoE
- Pan 330° side-to-side and tilt 105° up-and-down
- 2-way audio

TV-IP672P (no night vision)



Megapixel Wireless N Day/Night PTZ Internet Camera
TV-IP672WI

- 1280 x 800 megapixel resolution with H.264 compression
- Night vision of up to 7.5 m (16 ft)
- High speed wireless n connection
- Pan 330° side-to-side and tilt 105° up-and-down
- 2-way audio

TV-IP672W (no night vision)



Megapixel PoE Day/Night Internet Camera
TV-IP572PI

- 1280 x 800 megapixel resolution with H.264 compression
- Night vision of up to 7.5 m (16 ft)
- Save installation costs with PoE
- 2-way audio
- Program motion detection recording and email alerts

TV-IP572P (no night vision)



Megapixel Wireless N Day/Night Internet Camera
TV-IP572WI

- 1280 x 800 megapixel resolution with H.264 compression
- Night vision of up to 7.5 m (16 ft)
- High speed wireless n connection
- 2-way audio
- Program motion detection recording and email alerts

TV-IP572W (no night vision)



Megapixel PoE Internet Camera
TV-IP522P

- 1280 x 960 megapixel resolution with H.264 compression
- Save installation costs with PoE
- Removable lens, I/O ports, 2-way audio, and a mounting kit



Outdoor PoE Megapixel Day/Night Internet Camera
TV-IP322P

- Narrow lens angle
- Outdoor installation ready with an IP66 rating
- H.264 Megapixel resolution
- Night vision up to 20 meters (66 ft)
- Save installation costs with PoE

TV-IP332P (non-megapixel)



Megapixel PoE Dome Internet Camera
TV-IP262P

- 1280 x 800 megapixel resolution
- Tamper resistant interior wall and ceiling mount applications
- Pan and tilt adjustable fixed position camera
- Smokey dome



Security Cameras

Mix and match cameras to meet your needs



3-year limited warranty

Wireless N Day/Night Internet Camera
TV-IP551WI



Wireless N Day/Night PTZ Internet Camera
TV-IP651WI

- Night vision of up to 7.5 m (16 ft)
- High speed wireless n connection
- Pan 330° side-to-side and tilt 105° up-and-down
- 1-way audio
- Program motion detection recording and email alerts

TV-IP651W (no night vision)



Wireless N Pan/Tilt/Zoom Internet Camera
TV-IP612WN

- 10x optical zoom, 16x digital zoom, and auto focus
- 4x greater coverage with wireless n
- Pan 330° side-to-side and tilt 115° up-and-down
- One touch connection with Wi-Fi Protected Setup (WPS)

TV-IP612P (PoE camera)



Wireless N Day/Night Internet Camera
TV-IP551WI

- Night vision of up to 7.5 m (16 ft)
- High speed wireless n connection
- 1-way audio
- Program motion detection recording and email alerts

TV-IP551W (no night vision)



PoE Dome Internet Camera
TV-IP252P

- Tamper resistant interior wall and ceiling mount applications
- Pan and tilt adjustable fixed position camera
- Smokey dome
- Save installation costs with PoE



Wireless N Day/Night Pan/Tilt/Zoom Internet Camera
TV-IP422WN

- Night vision of up to 7.5 m (16 ft)
- High speed wireless n connection
- Pan 330° side-to-side and tilt 105° up-and-down
- 2-way audio
- Program motion detection recording and email alerts

TV-IP422 (wired camera)



Wireless N Pan/Tilt/Zoom Internet Camera
TV-IP410WN

- High speed wireless n connection
- Pan 330° side-to-side and tilt 105° up-and-down
- Program motion detection recording and email alerts

TV-IP410 (wired camera)



Wireless N Day/Night Internet Camera
TV-IP121WN

- Night vision of up to 7.5 m (16 ft)
- High speed wireless n connection
- 1-way audio
- Program motion detection recording and email alerts




Wireless N Internet Camera
TV-IP110WN

- High speed wireless n connection
- Program motion detection recording and email alerts
- Wall / ceiling mounting hardware

TV-IP110 (wired camera)

Camera Enclosures

IP66 rated enclosure, compatible with most TRENDnet pan/tilt cameras



2-year limited warranty

Outdoor Camera Dome Enclosure with Heater and Fan
TV-H400



Outdoor Camera Enclosure with Heater and Fan
TV-H510

- Built-in automated heater and fan
- IP66 certified aluminum construction
- Mounts on most surfaces with the included mounting kit
- Compatible with TV-IP100, TV-IP501, TV-IP512, and TV-IP522 camera series



TV-H500 (no heater or fan)



Outdoor Camera Enclosure with Heater and Fan
TV-H110

- Built-in automated heater and fan
- IP66 certified aluminum construction
- Mounts on most surfaces with the included mounting kit
- Compatible with TV-IP110, TV-IP121, TV-IP212, and TV-IP312 camera series



TV-H100 (no heater or fan)

Megapixel Internet Security Cameras									
Part Number	Product Name	Resolution	Sensor	Audio	Compression	Vision	Special Features		Warranty
TV-IP672WI	Megapixel Wireless N Day/Night PTZ Internet Camera	1280 x 800	CMOS	2-way	H.264/MPEG-4	Day/Night	Night Vision, Megapixel, Wireless N, PTZ, WPS Button		3-year
TV-IP672W	Megapixel Wireless N PTZ Internet Camera	1280 x 800	CMOS	2-way	H.264/MPEG-4	Day	Megapixel, Wireless N, PTZ, WPS Button		3-year
TV-IP672PI	Megapixel PoE Day/Night PTZ Internet Camera	1280 x 800	CMOS	2-way	H.264/MPEG-4	Day/Night	Night Vision, Megapixel, PoE, PTZ		3-year
TV-IP672P	Megapixel PoE PTZ Internet Camera	1280 x 800	CMOS	2-way	H.264/MPEG-4	Day	Megapixel, PoE, PTZ		3-year
TV-IP572WI	Megapixel Wireless N Day/Night Internet Camera	1280 x 800	CMOS	2-way	H.264/MPEG-4	Day/Night	Night Vision, Megapixel, Wireless N, WPS Button		3-year
TV-IP572W	Megapixel Wireless N Internet Camera	1280 x 800	CMOS	2-way	H.264/MPEG-4	Day	Megapixel, Wireless N, WPS Button		3-year
TV-IP572PI	Megapixel PoE Day/Night Internet Camera	1280 x 800	CMOS	2-way	H.264/MPEG-4	Day/Night	Night Vision, Megapixel, PoE		3-year
TV-IP572P	Megapixel PoE Internet Camera	1280 x 800	CMOS	2-way	H.264/MPEG-4	Day	Megapixel, PoE		3-year
TV-IP522P	Megapixel PoE Internet Camera	1280 x 960	CMOS	2-way	H.264/MPEG-4	Day	Megapixel, PoE, 16x zoom, SD card slot, GPIO ports		3-year
TV-IP322P	Outdoor Megapixel PoE Day/Night Internet Camera	1280 x 1024	CMOS	2-way	MPEG-4/MJPEG	Day/Night	High power night vision for distances up to 20 m (66 ft)		3-year
TV-IP262P	Megapixel PoE Fixed Dome Internet Camera	1280 x 800	CMOS	2-way	H.264/MPEG-4	Day	PoE, integrated cabling, adjustable fixed position		3-year

Internet Security Cameras									
Part Number	Product Name	Resolution	Sensor	Audio	Compression	Vision	Special Features		Warranty
TV-IP651WI	Wireless N Day/Night PTZ Internet Camera	640 x 480	CMOS	1-way	MJPEG	Day/Night	Night Vision, Wireless N, PTZ, WPS Button		3-year
TV-IP651W	Wireless N PTZ Internet Camera	640 x 480	CMOS	1-way	MJPEG	Day	Wireless N, PTZ, WPS Button		3-year
TV-IP612WN	Wireless N Pan/Tilt/Zoom Internet Camera	704 x 576	CCD	2-way	H.264, MPEG-4, MJPEG	Day/Night	330° pan 115° tilt, 10x optical zoom, 16x digital zoom, MicroSD slot, GPIO ports		3-year
TV-IP612P	PoE Pan/Tilt/Zoom Internet Camera	704 x 576	CCD	2-way	H.264, MPEG-4, MJPEG	Day/Night	330° pan 115° tilt, 10x optical zoom, 16x digital zoom, MicroSD slot, GPIO, PoE		3-year
TV-IP602WN	Wireless N Pan/Tilt/Zoom Internet Camera	640 x 480	CMOS	2-way	MPEG-4/MJPEG	Day	312° pan and 115° tilt, auto-patrol		3-year
TV-IP551WI	Wireless N Day/Night Internet Camera	640 x 480	CMOS	1-way	MJPEG	Day/Night	Night Vision, Wireless N, WPS Button		3-year
TV-IP551W	Wireless N Internet Camera	640 x 480	CMOS	1-way	MJPEG	Day	Wireless N, WPS Button		3-year
TV-IP512WN	Wireless N Internet Camera	640 x 480	CMOS SOC	2-way	MPEG-4/MJPEG	Day	Wireless n, CS-Mount lens, 16x zoom, SD card slot, WPS, GPIO ports		3-year
TV-IP512P	PoE Internet Camera	640 x 480	CMOS SOC	2-way	MPEG-4/MJPEG	Day	PoE, CS-Mount lens, 16x zoom, SD card slot, GPIO ports		3-year
TV-IP501P	PoE Internet Camera	640 x 480	CMOS	1-way	MJPEG	Day	PoE, compact camera with white housing		3-year
TV-IP422WN	Wireless N Day/Night Pan/Tilt/Zoom Internet Camera	640 x 480	CMOS	2-way	MPEG-4/MJPEG	Day/Night	Wireless n, 330° pan and 105° tilt, USB port, GPIO ports		3-year
TV-IP422	Day/Night Pan/Tilt/Zoom Internet Camera	640 x 480	CMOS	2-way	MPEG-4/MJPEG	Day/Night	330° pan 105° tilt, auto-patrol, USB port, GPIO ports		3-year
TV-IP410WN	Wireless N Pan/Tilt/Zoom Internet Camera	640 x 480	CMOS	-	MJPEG	Day	Wireless n, 330° pan 105° tilt, 2 GPIO ports		3-year
TV-IP252P	PoE Dome Internet Camera	640 x 480	CMOS	2-way	MPEG-4/MJPEG	Day	PoE, adjustable fixed position, GPIO ports, tinted dome		3-year
TV-IP121WN	Wireless N Day/Night Internet Camera	640 x 480	CMOS	1-way	MJPEG	Day/Night	Wireless n, compact design, night vision capabilities, 1-way audio		3-year
TV-IP110WN	Wireless N Internet Camera	640 x 480	CMOS	-	MJPEG	Day	Wireless n, compact design		3-year
TV-IP110	Internet Camera	640 x 480	CMOS	-	MJPEG	Day	Compact design		3-year

CCTV Camera Encoders			
Part Number	Product Name	Compression	Special Features
TV-VS1	Single Channel Analog to IP Video Encoder	H.264, MPEG-4, MJPEG	View and manage a CCTV camera from any Internet connection and on compatible mobile phones
TV-VS1P	Single Channel PoE Analog to IP Video Encoder	H.264, MPEG-4, MJPEG	View and manage a CCTV camera from any Internet connection and on compatible mobile phones (install the device in remote locations with PoE)

Internet Security Camera Outdoor Enclosures		
Part Number	Product Name	Special Features
TV-H100	Outdoor Camera Enclosure	IP-66 certified. Compatible with TV-IP110, TV-IP121 and TV-IP312 series cameras.
TV-H110	Outdoor Camera Enclosure with Heater and Fan	IP-66 certified. Built-in automatic heater and cooling fan. Compatible with TV-IP110, TV-IP121 and TV-IP312 series cameras.
TV-H400	Outdoor Camera Dome Enclosure with Heater and Fan	IP-66 certified with tinted glass dome. Built in heater and cooling fan. Compatible with TV-IP400, TV-IP410 and TV-IP600 series cameras.
TV-H500	Outdoor Camera Enclosure	IP-66 certified. Compatible with TV-IP501, TV-IP512 and TV-IP522 series cameras.
TV-H510	Outdoor Camera Enclosure with Heater and Fan	IP-66 certified. Built-in automatic heater and cooling fan. Compatible with TV-IP501, TV-IP512 and TV-IP522 series cameras.

Home Office KVM

Share your HD DVI monitor with two computers



2-year limited warranty

2-Port DVI USB KVM Switch Kit with Audio
TK-214i



2-Port DVI USB KVM Switch with Audio
TK-214i

- Manage two PCs and/or Macs with one set of console controls
- Supports HD video
- DVI, USB, and audio connections
- Ergonomic toggle switch



2-Port USB KVM Switch
TK-217i

- Control two PCs and/or Macs with one set of console controls
- VGA and USB connections to computers and console devices
- Ergonomic toggle switch
- All required cabling included



2-Port DVI USB KVM Switch Kit with Audio
TK-204UK

- Share a high resolution DVI monitor with 2 computers
- DVI, USB, audio, and microphone port connections
- Listen to music on one computer while working on the other



2-Port PS/2 KVM Switch Kit with Audio
TK-208K

- Control 2 computers from one console
- PS/2, VGA, audio, and microphone port connections
- Listen to music from one computer while working on the other
- High quality 2048 x 1536 resolution for a crisp display



2-Port USB KVM Switch Kit with Audio
TK-209K

- Control 2 computers from one console
- USB, VGA, audio, and microphone port connections
- Listen to music from one computer while working on the other
- High quality 2048 x 1536 resolution for a crisp display



2-Port USB KVM Switch Kit
TK-207K

- VGA and USB connection to computers
- Device monitoring with Auto-Scan and audible feedback
- High quality 2048 x 1536 resolution for a crisp display
- All required cabling included



4-Port USB KVM Switch Kit with Audio
TK-409K

- Control 4 computers from one console
- USB, VGA, audio, and microphone port connections
- Device monitoring with Auto-Scan and audible feedback
- High quality 2048 x 1536 resolution for a crisp display



4-Port USB KVM Switch Kit
TK-407K

- Control up to 4 computers from one console
- USB and VGA port connections
- Supports most operating systems and advance mouse designs

Enterprise KVM

Manage servers from any Internet connection



front view



back view



2-year limited warranty

1-Port KVM Switch over IP
TK-IP101



1-Port KVM Switch over IP TK-IP101

- Manage multiple servers remotely
- Compatible with most TRENDnet KVM switches
- Supports Windows and Java-based clients
- Control from BIOS level to OS-based applications




8-Outlet Remote Power Controller TK-RP08

- Power control for 8 electrical outlets
- Service and reboot servers from any location when networked to the TK-IP101
- Cascade up to 128 power outlets





16-Port PS/2 Rack Mount KVM Switch TK-1601R

- VGA and PS/2 connection to computers
- Auto-Scan and audible feedback
- Supports most operating systems




16-Port USB / PS/2 Rack Mount KVM Switch TK-1603R

- VGA and USB connection to computers
- Supports VGA and PS/2 or USB console port connections
- Auto-Scan and audible feedback




8-Port USB / PS/2 Rack Mount KVM Switch with OSD TK-804R

- VGA and USB connection to computers
- On Screen Display (OSD) for easy management
- Cascade up to 8 KVM switches





8-Port PS/2 Rack Mount KVM Switch with OSD TK-802R

- VGA and PS/2 connection to computers
- On Screen Display (OSD) for easy management
- Cascade up to 16 KVM switches





8-Port USB / PS/2 Rack Mount KVM Switch TK-803R

- VGA and USB connection to computers
- USB and PS/2 console connections
- Auto-Scan and audible feedback




8-Port PS/2 Rack Mount KVM Switch TK-801R

- VGA and PS/2 connection to computers
- High quality 1920 x 1440 resolution
- Supports most operating systems



Enterprise KVM

Clone a viewing field to multiple monitors with no software required



2-year limited warranty

2-Port Stackable Video Splitter
TK-V201S



- 4-Port USB / PS/2 KVM Switch Kit with Audio
TK-423K
- Supports mixed USB and PS/2 connections to computers
 - High quality video resolution up to 2048 x 1536
 - Required cables included



- 4-Port PS/2 Rack Mount KVM Switch
TK-401R
- VGA and PS/2 connection to computers
 - Device monitoring with Auto-Scan and audible feedback
 - Rack mount kit included



- KVM Extension Kit
TK-EX3
- Extend KVM controls for up to 150 m (490 ft)
 - Connect to a TRENDnet KVM switch to manage multiple servers
 - Features Hot-Key commands




- 4-Port Stackable Video Splitter
TK-V401S
- Clone a viewing field to up to four monitors with no software required
 - Cascade up to three units
 - Durable metal enclosure

KVM-Home Office											
Part Number	Product Name	Housing	Devices Controlled	Console Connector	PC Connector	Audio Support	Cables Included			Warranty	
TK-204UK	2-Port DVI USB KVM Switch Kit w/ Audio	Plastic	2	USB, DVI	USB, DVI	Yes	2 cable sets-audio included			2-year	
TK-205K	2-Port PS/2 KVM Switch Kit	Plastic	2	PS/2, VGA	PS/2, VGA	-	2 cable sets			2-year	
TK-207K	2-Port USB KVM Switch Kit	Plastic	2	USB, VGA	USB, VGA	-	2 cable sets			2-year	
TK-208K	2-Port PS/2 KVM Switch Kit w/ Audio	Plastic	2	PS/2, VGA	PS/2, VGA	Yes	2 cable sets-audio included			2-year	
TK-209K	2-Port USB KVM Switch Kit w/ Audio	Plastic	2	USB, VGA	USB, VGA	Yes	2 cable sets-audio included			2-year	
TK-214i	2-Port DVI USB KVM Switch w/ Audio	Plastic	2	USB, DVI	USB, DVI	Yes	Embedded cables			2-year	
TK-217i	2-Port USB KVM Switch	Plastic	2	USB, VGA	USB, VGA	-	Embedded cables			2-year	
TK-400K	4-Port PS/2 KVM Switch Kit	Plastic	4	PS/2, VGA	PS/2, VGA	-	4 cable sets			2-year	
TK-407K	4-Port USB KVM Switch Kit	Plastic	4	USB, VGA	USB, VGA	-	4 cable sets			2-year	
TK-408K	4-Port PS/2 KVM Switch Kit w/Audio	Plastic	4	PS/2, VGA	PS/2, VGA	Yes	4 cable sets-audio included			2-year	
TK-409K	4-Port USB KVM Switch Kit w/Audio	Plastic	4	USB, VGA	USB, VGA	Yes	4 cable sets-audio included			2-year	
KVM-Enterprise											
Part Number	Product Name	Housing	Width	Devices Controlled	Console Connector	PC Connector	Audio Support	Special Features			Warranty
TK-IP101	1-Port KVM Switch over IP	Metal	6.3 in (16.0 cm)	1	PS/2, VGA	PS/2, USB, VGA	-	Access TRENDnet KVM switches over the Internet.			2-year
TK-RP08	8-Outlet Remote Power Controller	Metal	16.1 in (40.6 cm)	Remote power control for 8 electrical outlets.		Cascade up to 128 power outlets.		Optimized for use with TK-IP101.			2-year
TK-401R	4-Port PS/2 Rack Mount KVM Switch	Metal	8.8 in (22.5 cm)	4	PS/2, VGA	PS/2, VGA	-	-			2-year
TK-403KR	4-Port PS/2 Rack Mount KVM Switch Kit w/ Audio	Metal	10.0 in (25.4 cm)	4	PS/2, VGA	PS/2, VGA	Yes	4 cable sets-audio included.			2-year
TK-423K	4-Port USB / PS/2 KVM Switch Kit w/ Audio	Plastic	10.0 in (25.4 cm)	4	USB, PS/2, VGA	USB, VGA	Yes	4 cable sets-audio included, supports mixed OS environment.			2-year
TK-801R	8-Port PS/2 Rack Mount KVM Switch	Metal	16.1 in (40.6 cm)	8	PS/2, VGA	PS/2, VGA	-	-			2-year
TK-802R	8-Port PS/2 Rack Mount KVM Switch w/ OSD	Metal	16.1 in (40.6 cm)	8	PS/2, VGA	PS/2, VGA	-	Cascade up to 16 units (126 servers).			2-year
TK-803R	8-Port USB / PS/2 Rack Mount KVM Switch	Metal	16.1 in (40.6 cm)	8	USB, PS/2, VGA	USB, VGA	-	-			2-year
TK-804R	8-Port Stackable Rack Mount USB & PS/2 KVM Switch with OSD	Metal	16.1 in (40.6 cm)	8	USB, PS/2, VGA	USB, VGA	-	Cascade up to 8 units (64 servers).			2-year
TK-1601R	16-Port PS/2 Rack Mount KVM Switch	Metal	16.1 in (40.6 cm)	16	PS/2, VGA	PS/2, VGA	-	-			2-year
TK-1603R	16-Port USB / PS/2 Rack Mount KVM Switch	Metal	16.1 in (40.6 cm)	16	USB, PS/2, VGA	USB, VGA	-	-			2-year
TK-C06	6 ft PS/2/VGA KVM Cable	Cable length: 6 ft (1.8m) Connect computers with VGA and PS/2 ports to a TRENDnet KVM device. Use with TRENDnet 2, 4, 8 and 16 port PS/2 KVM switches.									
TK-C10	10 ft PS/2/VGA KVM Cable	Cable length: 10 ft (3.1m) Connect computers with VGA and PS/2 ports to a TRENDnet KVM device. Use with TRENDnet 2, 4, 8 and 16 port PS/2 KVM switches.									
TK-C15	15 ft PS/2/VGA KVM Cable	Cable length: 15 ft (4.5m) Connect computers with VGA and PS/2 ports to a TRENDnet KVM device. Use with TRENDnet 2, 4, 8 and 16 port PS/2 KVM switches.									
TK-CU06	6 ft USB/VGA KVM Cable	Cable length: 6 ft (1.8m) Connect computers with VGA and USB ports to a TRENDnet TK-803R, TK-804R or TK-1603R switch.									
TK-CU10	10 ft USB/VGA KVM Cable	Cable length: 10 ft (3.1m) Connect computers with VGA and USB ports to a TRENDnet TK-803R, TK-804R, or TK-1603R switch.									
TK-CU15	15 ft USB/VGA KVM Cable	Cable length: 15 ft (4.5m) Connect computers with VGA and USB ports to a TRENDnet TK-803R, TK-804R, or TK-1603R switch.									
TK-EX3	KVM Extension Kit	Extend keyboard, video, and mouse controls for distances of up to 150 m (490 ft) Connect to a TRENDnet KVM switch to manage multiple servers/computers.									
TK-V201S	2-Port Stackable Video Splitter	Clone a viewing field to up to two monitors with no software required. Cascade up to three units, with high quality video resolution of up to 1920 x 1440 pixels.									
TK-V401S	4-Port Stackable Video Splitter	Clone a viewing field to up to four monitors with no software required. Cascade up to three units, with high quality video resolution of up to 1920 x 1440 pixels.									
9VDC800	Power Adapter	Optional external AC power adapter ensures consistent power. Use with TRENDnet TK-200 and TK-400 KVM series.									

Network Adapters

Install a Gigabit Ethernet port on a low profile desktop computer in minutes



front view



package view



3-year limited warranty

Low Profile Gigabit PCI Adapter
TEG-PCITXRL



Low Profile Gigabit PCI Adapter
TEG-PCITXRL

- Compatible with low profile desktop computers
- 1 x Gigabit Auto-MDIX port
- Installs on an available PCI slot
- Windows compatible



Gigabit PCI Adapter
TEG-PCITXR

- 1 x Gigabit Auto-MDIX port
- Upgrade your network connection to Gigabit speeds
- Save time by sharing files quickly
- Windows compatible



Gigabit PCI Express Adapter
TEG-ECTX

- 1 x Gigabit Auto-MDIX port
- Installs on a free PCI Express port
- Supports SNMP, VLAN Tagging, and Link Aggregation
- Windows compatible



Gigabit Fiber PCI Express Adapter
TEG-ECSX

- 1 x Gigabit SC-type Multi-Mode Fiber port
- Networks distances up to 550 m (1804 ft)
- Supports SNMP, VLAN Tagging, and Link Aggregation
- Windows compatible



10/100Mbps PCI Adapter
TE100-PCIWN

- Add a Fast Ethernet port to your desktop computer
- 200Mbps with full duplex technology
- Remote wake-up, Wake-on-LAN support
- Windows compatible



100Base Multi-Mode SC Fiber-to-PCI
Adapter
TE100-PCIFC

- 1 x 100Mbps SC-type Multi-Mode Fiber port
- Networks distances up to of up to 2 km
- Energy saving with ACPI 1.0 functionality
- Windows compatible



USB 3.0

Share content between devices at 5Gbps—10 times faster than USB 2.0



2-year limited warranty

4-Port USB 3.0 Hub
TU3-H4



2-Port USB 3.0 ExpressCard Adapter
TU3-H2EC

- Super speed 5Gbps transfer rates
- Two USB 3.0 ports
- Backward compatible with USB 2.0
- Compatible with Windows-based laptops



2-Port USB 3.0 PCI Express Adapter
TU3-H2PIE

- Super speed 5Gbps transfer rates
- Two USB 3.0 ports
- Backward compatible with USB 2.0
- Compatible with Windows-based desktops



4-Port USB 3.0 Hub
TU3-H4

- Super speed 5Gbps USB 3.0 transfer rates
- Connect USB flash drives, storage enclosures, cameras, and more
- Backward compatible with USB 2.0 devices



3 m / 10 ft USB 3.0 Cable
TU3-C10

- Super speed 5Gbps transfer rates
- Type-A Male to Type-B Male USB 3.0 connectors
- Backward compatible with USB 2.0



2.5" USB 3.0 External Enclosure
TU3-S25

- Supports one 2.5" SATA I/II hard drive (sold separately)
- Compatible with most operating systems
- Plug and Play with no software installation required



3.5" USB 3.0 External Enclosure
TU3-S35

- Supports one 3.5" SATA I/II hard drive (sold separately)
- Compatible with Windows and Mac operating systems
- Plug and Play with no software installation required

USB 2.0

Share USB hard drives, flash drives, printers, and more with everyone on your Local Area Network



front view



back view



2-year limited warranty

4-Port Network USB Hub
TU2-NU4



4-Port Network USB Hub
TU2-NU4

- Access USB devices across your Local Area Network
- 1 x 10/100Mbps Auto-MDIX Fast Ethernet port
- 4 x high speed USB 2.0 ports



4-Port USB Hub
TU2-400E

- Connects 4 USB devices to your computer
- 480Mbps data transfer speeds
- Connect USB flash drives, digital cameras, MP3 players, and more



7-Port High Speed USB Hub w/ Power Adapter
TU2-700

- Connect 7 USB devices to your computer
- Transfer data at speeds up to 480Mbps
- Connect cameras, MP3 players, storage devices, and more



2-Port USB PC Card
TU2-H2PC

- Quickly add 2 USB ports to your laptop
- Transfer data at high speeds of up to 480Mbps
- Save desk space with this compact laptop PC card



USB to Gigabit Ethernet Adapter
TU2-ETG

- Convert a USB port to a Gigabit Ethernet port
- Connect your laptop or PC at Gigabit speeds
- Quickly share data, music, and movies
- 3-year limited warranty



USB to 10/100Mbps Ethernet Adapter
TU2-ET100

- Convert a USB port to a Fast Ethernet port
- Connect your laptop, desktop, or gaming console at Fast Ethernet speeds
- Compatible with Nintendo Wii™
- 3-year limited warranty



5-Port USB PCI Adapter
TU2-H5PI

- Add 5 high speed USB ports to your PC
- Transfer data at high speeds of up to 480Mbps
- 4 external and 1 internal USB 2.0 port



USB 2.0/1.0

Experience the convenience and time savings of unlimited file transfers between computers



2-year limited warranty

High Speed PC-to-PC Share Cable
TU2-PCLINK



High Speed PC-to-PC Share Cable
TU2-PCLINK

- High speed file sharing between PCs
- No installation required, simply plug and go
- Windows ready 1.8 m (6 ft) cable



USB Monitor Extender
TU2-DVIV

- Clone or divide a single screen to up to 7 monitors
- High Definition 1600 x 1200 image quality
- 32-bit True Color Depth technology



Compact Wireless Presenter
TU2-P2W

- Full remote control of PowerPoint presentations
- Built-in laser pointer
- Plug and Play with no software installation required



USB to IDE / SATA Converter
TU2-IDSA

- Connect a SATA or IDE hard drive to your computer
- Connect your hard drive and plug the adapter into any USB port on your PC
- Also works with CD-ROM, DVD, and hard drive devices



USB to Serial Converter
TU-S9

- Connect a RS-232 serial device such as a modem or switch to a USB port on your computer
- Easy installation
- Supports Windows operating systems



USB to PS/2 Converter
TU-PS2

- Connect a PS/2 keyboard and mouse to a USB port on your computer
- Easy installation
- Supports Windows operating systems



USB to Parallel 1284 Converter
TU-P1284

- Connect parallel port printers to a USB port on your computer
- Easy installation
- Supports Windows operating systems



Network Accessories

Inserts and cuts wire terminations in one simple operation with an easy to handle comfort grip



3-year limited warranty

Professional Punch Down Tool
TC-PDT



Professional Punch Down Tool
TC-PDT

- Inserts and cuts terminations in one simple operation
- Precision blades are interchangeable and reversible between 110 and Krone standards
- Easy to handle comfort grip



Professional Crimp Tool
TC-CT68

- Professional crimp strips and cuts cable for 8 and 6 position modular plugs
- This user friendly device works with any Ethernet or telephone cable
- Comfortable grip handle



Network Probe for TC-NT2
TC-TP1

- Signal tester for network professionals
- Accurately tone trace and line test various voice and data cables
- Quickly identify faulty cables with the tone indicator LED



Professional Cable Tester with Tone
Generator
TC-NT2

- Comprehensive cable tester for network professionals
- Accurately test pin configurations for various voice and data cables for lengths up to 300 m (984 ft)
- Quickly identify faulty network cables with the built-in audio tone generator



19" Wide Cat. 6 Gigabit Patch Panels

48-Port Cat. 6 Unshielded Patch Panel
TC-P48C6

24-Port Cat. 6 Unshielded Patch Panel
TC-P24C6

16-Port Cat. 6 Unshielded Patch Panel
TC-P16C6



19" Wide Cat. 5e Patch Panels

48-Port Cat. 5/5e Unshielded Patch Panel
TC-P48C5E

24-Port Cat. 5/5e Unshielded Patch Panel
TC-P24C5E

16-Port Cat. 5/5e Unshielded Patch Panel
TC-P16C5E



10" Wide Cat. 6 Gigabit Patch Panels

12-Port Cat. 6 Unshielded Patch Panel
TC-P12C6

8-Port Cat. 6 Unshielded Patch Panel
TC-P08C6



10" Wide Cat. 5e Patch Panels

12-Port Cat. 5e Unshielded Patch Panel
TC-P12C5E

8-Port Cat. 5e Unshielded Patch Panel
TC-P08C5E

TRENDnet Green Initiatives

TRENDnet, a leading global networking hardware brand, is committed to creating environmentally friendly networking hardware solutions and to sustaining policies and practices that respect our natural environment. Explore TRENDnet's green initiatives and give us your feedback.



GREENnet is a TRENDnet switch-based technology that determines and supplies the appropriate amount of electrical power for each switching port as required by the connected device, by the port, or by the length of the connected Ethernet cable. GREENnet technology can reduce power consumption by up to 70%.



Regulations

TRENDnet is committed to reducing our environmental footprint. TRENDnet products meet or exceed global environmental regulations including RoHS, California Energy Commission Efficiency Program (CEC), and WEEE among others.



RoHS — Restriction of Hazardous Substances Directive. The RoHS directive is a European Union-based initiative that restricts the use of heavy metals and other toxic substances, such as lead and chromium, in electronic equipment. RoHS has had a significant and lasting impact on reducing toxins introduced into the environment.



WEEE — Waste Electrical and Electronic Equipment. Working alongside RoHS, the WEEE directive gives manufacturers the responsibility of recycling end-of-life electronic equipment. The WEEE program keeps harmful substances out of landfills in participating countries.



TRENDnet[®]

20675 Manhattan Place
Torrance, CA 90501 USA
www.trendnet.com