



AC600 Dual Band Wireless USB Adapter TEW-804UB

- Upgrade your computer to 433 Mbps Wireless AC
- · Connect to a Wireless N network at up to 150 Mbps
- Quick intuitive setup
- Powered by the computer's USB port
- One touch network connection with the WPS button
- Windows® and Mac® compatible

TRENDnet's AC600 Dual Band Wireless USB Adapter, model TEW-804UB, connects a Windows® or Mac® computer to a revolutionary Wireless AC network. Connect to a Wireless AC network at up to 433 Mbps or to a Wireless N network at up to 150 Mbps. This high performance adapter comes in a compact form factor.



Ease of Use



Easy Setup

Get up and running in minutes with the intuitive guided setup



One Touch Connection

Securely connect to a wireless network at the touch of the Wi-Fi Protected Setup (WPS) button

Security



Encrypted Wireless

Supports the latest encryptions standards (up to WPA2)

Performance



Next Generation Wireless AC

802.11ac provides HD video streaming in a busy connected home



Dual Band

High speed 433 Mbps Wireless AC or 150 Mbps Wireless N network connection



Backward Compatible


Compatible with older wireless devices




Operating Systems

Compatible with Windows® and Mac® operating systems

Networking Solution







Specifications

Standards

- IEEE 802.11a
- IEEE 802.11b
- IEEE 802.11g
- IEEE 802.11n (2.4 + 5 GHz: up to 150 Mbps)
- IEEE 802.11ac (draft 2.0, up to 433 Mbps)

Hardware Interface

- USB 2.0
- WPS Button/LED indicator

Security

• Wireless encryption up to WPA2

Compatibility

- · Windows® 8, 7, Vista, XP
- Mac OS® 10.4-10.10

Special Features

- · Compact form factor
- High-speed 802.11ac connectivity

Power

Consumption: Max. 224 mA

Operating Temperature

• 0 - 40°C (32 - 104°F)

Operating Humidity

• Max. 95% non-condensing

Certifications

- CE
- FCC

Dimensions

• 38 x 19 x 8 mm (1.5 x 0.75 x 0.31 in.)

Weight

• 5 g (0.18 oz.)

Warranty

• 3-year limited

Package Contents

- TEW-804UB
- ' I E V V 0 U 4 U D
- Multi-Language Quick Installation Guide
- CD-ROM (Utility & Drivers)

^{**}Maximum wireless signal rates are referenced from IEEE 802.11 theoretical specifications. Actual data throughput and coverage will vary depending on interference, network traffic, building materials and other conditions



^{*}For maximum performance of up to 433 Mbps use with a 433 Mbps 802.11ac wireless router or access point