

Fiber Converters

TFC-1000 Series

• Руководство по быстрой установк (1)

1. Что нужно сделать в самом начале

Содержимое упаковки

- Волоконый преобразователь
- Руководство по быстрой установке на нескольких языках
- Блок питания

Если любой из выше содержание отсутствует, пожалуйста, обратитесь к поставщику.

Минимальные требования

- Достаточно прохладное и сухое место
- Место, в котором отсутствуют источники электромагнитных полей (напр., двигатели), вибрация, пыль, и куда не проникает прямой солнечный свет
- Шасси TFC-1600 (дополнительно) или устойчивая, ровная поверхность, выдерживающая вес волоконного преобразователя.
- Коммутатор Gigabit Ethernet 1000 Мбит/с
- Волоконные кабели многомодовые или одномодовые
- Сетевой кабель RJ-45 Ethernet категории 5е или 6

Опционное Оборудование

- 19" стойка стандарта
- Шасси TFC-1600
- Модуль Mini-GBIC (напр., EG-MGBSX, TEG-MGBS10, TEG-MGBS40, TEG-MGBS80, TEG-MGBS10D35, TEG-MGBS40D35) для гнезд Mini-GBIC (только TFC-1000MGB/TFC-1000MGA)

2. Установка оборудования

Установка 2 отдельных преобразователей

1. Подключите кабель RJ-45 Ethernet от порта Ethernet на преобразователе к порту Ethernet на коммутаторе (напр., TEG-S24Dg).



2. Присоедините волоконный кабель к преобразователю.



3. Присоедините силовой адаптер к задней панели преобразователя.



Примечание:

- 1. Для устройства TFC-1000MSC / S20/ S50 / S70 кабели ТХ и RX на разных концах соединения подключены в обратном порядке.
- 2. Кабели
 - а. Многомодовый оптический кабель: TFC-1000MSC, Устройство TFC-1000MGB/TFC-1000MGA с модулем TEG-MGBSX
 - b. Одномодовый оптический кабель: TFC-1000S20, TFC-1000S50, TFC-1000S70, Устройство TFC-1000MGB с модулем TEG-MGBS10/ TEG-MGBS40/TEG-MGBS80
 - с. Одножильный оптический кабель: TFC-1000S10D3, TFC-1000S10D5, TFC-1000S40D3, TFC-1000S40D5, Устройство TFC-1000MGB/ TFC-1000MGA с модулем TEG-MGBS10D35/TEG-MGBS40D35

Установка преобразователя в шасси

1. Отверните винты на крышке нужного отсека шасси.



2. Отверните винт с накатной головкой и снимите волоконный преобразователь с металлического корпуса



3. Задвиньте преобразователь носителей в имеющееся гнездо и заверните винт с накатной головкой



Установка завершена.

3. Световые индикаторы и DIP-переключатели

Световые	MURIAVATOR	1

Световые индикаторы	Цвет	Последовательность	Функция
PWR	Зеленый	Горит постоянн о	Питание включено
(Питание)	Выключено		Питание выключено
LINK/ACT	Зеленый	Горит постоя нно	2000 Мбит/с (дуплексный режим)
	Зеленый	Мигание	2000Мбит/с (дуплексный режим) Хорошее качество соединения
	Выключено		Линия связи отключена

DIP-переключатели (двухпозиционные переключатели)

· ·	* *	
Переключатель	Действие	Функция
1	Вкл	TX Forced Mode (Вынужденный режим)
	Выключено	TX Auto-Negotiation (Автосогласование)
2	Вкл	LLR Enable (Включить)
	Выключено	LLR Disable (Отключить)

Примечание:

- После изменения настроек DIP-переключателя, выключите и включите волоконно-оптический преобразователь.
- 2. Аббревиатура LLR обозначает Link Loss Return (Возврат потери соединения). Когда функция LLR включена, передатчик волоконно-оптического порта отключается в том случае, если его приемник не может выявить действующую принимающую линию связи. Если один из оптических проводников вышел из строя, карта со включенной функцией LLR возвращает сигнал об отсутствии линии связи своей паре. Функция LLR используется только для выявления проблем соединения с волоконно-

Declaration of Conformity



Company Information:

Company Name: TRENDnet, Inc.

I KENDhet, Inc.

Company Address:

20675 Manhattan Place

Torrance, CA 90501

USA

Product Information:

Product Description:

1000Base-TX to 1000Base-SX/LX Fiber Converter

Model Number:

TFC-1000MSC, TFC-1000S20, TFC-1000S50, TFC-1000S70

TFC-1000MGB, TFC-1000MGA, TFC-1000S10D3,

TFC-1000S10D5 1000S40D3, TFC-1000S40D5

Brand name:

TRFNDnet

Technical Standards:

EN 55022 : 2006 Class A

EN 61000-3-2: 2006 Class A

EN 61000-3-3: 1995 + A1: 2001 + A2: 2005

EN 55024 : 1998 + A1 : 2001 + A2 : 2003

Declaration:

The product is herewith confirmed to comply with the requirements of Directive 2004/108/EC of the Council (European Parliament) on the EMC directive and Energy-related products Directive 2009/125/EC.

I hereby declare that the products and devices mentioned above are consistent with the standards and provisions of the guidelines.

Sonny Su	Director of Technology
Full Name	Position / Title
May 27, 2011	James.
Date	Signatore



Limited Warranty

TRENDnet warrants its products against defects in material and workmanship, under normal use and service, for the following lengths of time from the date of purchase.

Fiber Converters- 3 Years Limited Warranty

AC/DC Power Adapter, Cooling Fan, and Power Supply carry a 1 year warranty.

If a product does not operate as warranted during the applicable warranty period, TRENDnet shall reserve the right, at its expense, to repair or replace the defective product or part and deliver an equivalent product or part to the customer. The repair/replacement unit's warranty continues from the original date of purchase. All products that are replaced become the property of TRENDnet. Replacement products may be new or reconditioned. TRENDnet does not issue refunds or credit. Please contact the point-of-our chase for their return policies.

TRENDnet shall not be responsible for any software, firmware, information, or memory data of customer contained in, stored on, or integrated with any products returned to TRENDnet pursuant to any warranty.

There are no user serviceable parts inside the product. Do not remove or attempt to service the product by any unauthorized service center. This warranty is voided if (i) the product has been modified or repaired by any unauthorized service center, (ii) the product was subject to accident, abuse, or improper use (iii) the product was subject to conditions more severe than those specified in the manual.

Warranty service may be obtained by contacting TRENDnet within the applicable warranty period and providing a copy of the dated proof of the purchase. Upon proper submission of required documentation a Return Material Authorization (RMA) number will be issued. An RMA number is required in order to initiate warranty service support for all TRENDnet products. Products that are sent to TRENDnet for RMA service must have the RMA number marked on the outside of return packages and sent to TRENDnet prepaid, insured and packaged appropriately for safe shipment. Customers shipping from outside of the USA and Canada are responsible for return shipping fees. Customers shipping from outside of the USA are responsible for custom charges, including but not limited to. duty, tax, and other fees.

WARRANTIES EXCLUSIVE: IF THE TRENDNET PRODUCT DOES NOT OPERATE AS WARRANTED ABOVE, THE CUSTOMER'S SOLE REMEDY SHALL BE, AT TRENDNET'S OPTION, REPAIR OR REPLACE. THE FOREGOING WARRANTIES AND REMEDIES ARE EXCLUSIVE AND ARE IN LIEU OF ALL OTHER WARRANTIES,

EXPRESSED OR IMPLIED, EITHER IN FACT OR BY OPERATION OF LAW, STATUTORY OR OTHERWISE, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. TRENDNET NEITHER ASSUMES NOR AUTHORIZES ANY OTHER PERSON TO ASSUME FOR IT ANY OTHER LIABILITY IN CONNECTION WITH THE SALE, INSTALLATION MAINTENANCE OR USE OF TRENDNET'S PRODUCTS.

TRENDNET SHALL NOT BE LIABLE UNDER THIS WARRANTY IF ITS TESTING AND EXAMINATION DISCLOSE THAT THE ALLEGED DEFECT IN THE PRODUCT DOES NOT EXIST OR WAS CAUSED BY CUSTOMER'S OR ANY THIRD PERSON'S MISUSE, NEGLECT, IMPROPER INSTALLATION OR TESTING, UNAUTHORIZED ATTEMPTS TO REPAIR OR MODIFY, OR ANY OTHER CAUSE BEYOND THE RANGE OF THE INTENDED USE, OR BY ACCIDENT, FIRE, LIGHTNING, OR OTHER HAZARD.

LIMITATION OF LIABILITY: TO THE FULL EXTENT ALLOWED BY LAW TRENDNET ALSO EXCLUDES FOR ITSELF AND ITS SUPPLIERS ANY LIABILITY, WHETHER BASED IN CONTRACT OR TORT (INCLUDING NEGLIGENCE), FOR INCIDENTAL, CONSEQUENTIAL, INDIRECT, SPECIAL, OR PUNITIVE DAMAGES OF ANY KIND, OR FOR LOSS OF REVENUE OR PROFITS, LOSS OF BUSINESS, LOSS OF INFORMATION OR DATE, OR OTHER FINANCIAL LOSS ARISING OUT OF OR IN CONNECTION WITH THE SALE, INSTALLATION, MAINTENANCE, USE, PERFORMANCE, FAILURE, OR INTERRUPTION OF THE POSSIBILITY OF SUCH DAMAGES, AND LIMITS ITS LIABILITY TO REPAIR, REPLACEMENT, OR REFUND OF THE PURCHASE PRICE PAID, AT TRENDNET'S OPTION. THIS DISCLAIMER OF LIABILITY FOR DAMAGES WILL NOT BE AFFECTED IF ANY REMEDY PROVIDED HEREIN SHALL FAIL OF ITS ESSENTIAL PURPOSE.

Governing Law: This Limited Warranty shall be governed by the laws of the state of California. Some TRENDnet products include software code written by third party developers. These codes are subject to the GNU General Public License ("GPL") or GNU Lesser General Public License ("LGPL").

Go to http://www.trendnet.com/gpl or http://www.trendnet.com Download section and look for the desired TRENDnet product to access to the GPL Code or LGPL Code. These codes are distributed WITHOUT WARRANTY and are subject to the copyrights of the developers. TRENDnet does not provide technical support for these codes. Please go to http://www.gnu.org/licenses/lgpl.bxt for http://www.gnu.org/licenses/lgpl.bxt for http://www.gnu.org/licen



Product Warranty Registration

Please take a moment to register your product online. Go to TRENDnet's website at http://www.trendnet.com/register

Certifications

This equipment has been tested and found to comply with FCC and CE Rules. Operation is subject to the following two conditions:

- This device may not cause harmful interference.
- (2) This device must accept any interference received. Including interference that may cause undesired operation.





Waste electrical and electronic products must not be disposed of with household waste. Please recycle where facilities exist. Check with you Local Authority or Retailer for recycling advice



NOTE: THE MANUFACTURER IS NOT RESPONSIBLE FOR ANY RADIO OR TV INTERFERENCE CAUSED BY UNAUTHORIZED MODIFICATIONS TO THIS EQUIPMENT. SUCH MODIFICATIONS COULD VOID THE USER'S AUTHORITY TO OPERATE THE EQUIPMENT

ADVERTENCIA

En todos nuestros equipos se mencionan claramente las características del adaptador de alimentacón necesario para su funcionamiento. El uso de un adaptador distinto al mencionado puede producir daños fisicos y/o daños al equipo conectado. El adaptador de alimentación debe operar con voltaje y frecuencia de la energia electrica domiciliaria existente en el pais o zona de instalación.

> TRFNDnet. 20675 Manhattan Place Torrance, CA 90501, USA