



## 2-Port 4K DisplayPort KVM Switch

TK-220DPi (v1.0R)


- Control two computers with one set of console controls
- Compatible with DisplayPort port monitors and TVs
- Supports 4K UHD resolutions up to 3840 x 2160 @ 60Hz
- 5.1 audio support over DisplayPort cables
- 3.5mm speaker and microphone connections for analog audio
- Fully integrated DisplayPort, USB, and audio cables
- USB powered – No external power adapter required
- Convenient computer toggle switch

TRENDnet's 2-Port 4K DisplayPort KVM Switch, model TK-220DPi, allows you to control two computers with one set of console controls. Easily experience up to 4K UHD resolutions, no driver installation required. This compact DisplayPort switch is designed for 4K DisplayPort systems with USB mouse and keyboard connections. This UHD DisplayPort KVM switch also features 3.5mm speaker and microphone connections to switch between computers.




### 4K DisplayPort 1.2

This DisplayPort switch is designed for DisplayPort systems with resolutions up to 3840 x 2160 @ 60Hz.



### Audio Support

Full audio support through DisplayPort KVM cable connections with optional 3.5mm microphone and speaker jacks.



### Quick Toggle Switch

Use the integrated 1.5m (4.9 ft.) cable to position the toggle switch in the most convenient location.

## NETWORKING SOLUTION



## FEATURES



### Computers

2-Port DisplayPort KVM controls up to 2 computers



### 4K UHD

4K DisplayPort KVM switch supports resolutions up to 4K UHD (3840 x 2160) with a 60Hz refresh rate



### Audio Support

Full audio support maximizes workstation productivity



### USB Mouse & Keyboard

True Transparent USB (TTU) technology supports most keyboard and mouse designs



### DisplayPort 1.2

DisplayPort 1.2 with HDCP support



### Integrated Cables

Fully integrated DisplayPort, USB, and audio cables



### Computer Ports

Requires free USB and DisplayPort ports from connected computers



### Hot Keys

This DisplayPort switch features Hot Key command shortcuts

## SPECIFICATIONS

### Console Port Connectors

- Keyboard: USB Type A
- Mouse: USB Type A
- Monitors: 1 x DisplayPort 1.2
- Speaker jack: 3.5mm
- Microphone jack: 3.5mm

### Computer Interface (up to 2)

- Keyboard/Mouse: USB 2.0 Type A
- Monitors: DisplayPort 1.2
- Speaker jack: 3.5mm
- Microphone jack: 3.5mm
- Cable length: 1.5m (4.92 ft.)

### Monitor Resolution

- Up to 1920 x 1080 @ 144Hz
- Up to 1920 x 1200 @ 144Hz
- Up to 1920 x 1440 @ 144Hz
- Up to 2560 x 1440 @ 144Hz
- Up to 3440 x 1440 @ 60Hz
- Up to 3840 x 2160 @ 60Hz

### Switching Control

- One touch toggle switch
- Keyboard hot key commands

### Audio Support

- 5.1 Audio support over DisplayPort cables
- Analog audio over speaker and microphone jacks

### Operating Temperature

- 0° – 40° C (32° – 104° F)

### Operating Humidity

- Max. 90% non-condensing

### Dimensions

- 164 x 87 x 45mm (6.4 x 3.4 x 1.77 in.)

### Weight

- 578g (1.27 lbs.)

### Certifications

- CE
- FCC

### Warranty

- 2 year

### Package Contents

- TK-220DPi
- Quick Installation Guide

All references to speed are for comparison purposes only. Product specifications, size, and shape are subject to change without notice, and actual product appearance may differ from that depicted herein.