TRENDNET®

# USB-C to HDMI Adapter with Power Delivery

TUC-HDMI2 (v1.0R)

- Mirror your laptop's HD display to any HDMI monitor or TV
- Supports resolutions up to 4K Ultra HD at 60 Hz
- Flawless video with high speed USB-C to HDMI 2.0 connection
- USB-C Power Delivery Compliant
- Supports Chrome™, Windows® 10 and Mac® operating systems

TRENDnet's USB-C to HDMI 4K UHD Display Adapter with Power Delivery, model TUC-HDMI2, adds an HDTV or UHD display to a USB-C powered notebook. Mirror your notebook PC's display to an HDTV or monitor, and experience flawless video with the USB-C to HDMI connection. The USB-C power delivery port lets you charge a USB-C compatible notebook with the original charger while simultaneously using HDMI.

HDMI 2.0

Compatible with 1080p HD and 4K UHD displays with a maximum resolution of up to 4096 x 2160 at 60 Hz

Power Delivery Port

USB-C power delivery port lets you charge a USB-C compatible notebook with the original charger while simultaneously using HDMI

Integrated Cable

Flexible 10.1 cm (4 in) USB-C cable accommodates most installation scenarios

Networking Solution

HDMI port   USB Type-C   USB Type C power delivery (PD) port

4K UHD Resolution
Up to 4096 x 2160 at 60 Hz

Flexible Connector
Attached flexible 10.1 cm (4 in.) USB-C cable accommodates most installation scenarios

Easy Setup
Simple installation in minutes

Power Delivery
USB-C power delivery compliant port supports up to PD power profile 4

Compact Design
Reclaim desktop space and reduce clutter with this compact housing design

Operating Systems
Compatible with Chrome, Windows® 10 and Mac® operating systems

TRENDnet®

Specifications

Standards
- HDMI 2.0a
- USB Type-C

Interface
- 1 x HDMI 2.0a port (Female)
- 1 x USB Type-C port (Male)
- 1 x USB Type C power delivery (PD) port

PD port
- Support up to PD power profile 4

Resolution
- Full 1080p HD resolution support with a 60 Hz refresh rate
- Max. 4096 x 2160 resolution at 60 Hz

Modes
- Extend
- Duplicate / Mirror

Display Controls
- Define screen resolution
- Rotate display left, right, upside down
- Set as Main Monitor function transfers operating system controls to the display viewing field
- Notebook Monitor Off function turns off the computer's primary display

Compatibility
- Windows® 10
- Mac OS® 10.X
- Requires USB-C port that supports Thunderbolt or DisplayPort Alt mode.

Operating Temperature
- 0 – 40 °C (32 – 104 °F)

Operating Humidity
- Max. 90% non-condensing

Power
- USB powered

Dimensions
- 50 x 33 x 12.5 mm (2 x 1.3 x 0.5 in.)
- 10.1 cm (4 in.) cable length

Weight
- 90 g (3.2 oz.)

Warranty
- 2 year limited

Certifications
- CE
- FCC

Package Contents
- TUC-HDMI2
- Quick Installation Guide