TRENDnet®


4K Wireless Presenter Add-on Transmitter (for TWP-100R1K)

TWP-101T (v1.0R)

- 4K HD resolution
- 5.1 Audio support over HDMI cable
- Compatible with Windows™ and Mac®
- Connect up to 32 devices to TWP-100R1K (one device per TWP-101T)
- HDMI 1.4 compliant with HDCP 1.4 support
- Plug-and-play

TRENDnet's 4K Wireless Presenter Add-On Transmitter is designed for use with your existing TRENDnet 4K Wireless Presenter Kit to expand remote device connections up to 32 nodes. The wireless presentation system supports multiple devices simultaneously and it is compatible across multiple platforms. Easy plug-and-play setup makes presentations possible with just one click. The TWP-101T wireless HDMI add-on transmitter connects to a TWP-100R1K to present high-quality images from both Windows and Mac computers. TRENDnet's wireless presenter solution is ideal for both business and home use.

TRENDnet®

Wireless HDMI Extension
Extend your HDMI connection wirelessly from your Windows and Mac computers to an HDMI TV or projector.

Multiple Platform
The wireless presentation solution is compatible with Windows and Mac.

Plug-and-Play
Connect your devices to the wireless presentation system with just a simple push of a button.

NETWORKING SOLUTION

Receiver

HDMI

USB

Main Button

Transmitter

Main button

LED indicators

Side button

HDMI Port

USB 2.0 Type A Cable

FEATURES

Wireless Screen Sharing
Share 4K content wirelessly from your computers, tablets, or mobile phones

Multiple Platform Compatibility
Compatible with Windows and Mac

Split Screen
The wireless screen sharing solution supports up to 4 screens displayed concurrently

Hassle Free
Eliminate the need to be tied to the HDMI cable; anyone can take control with one push

Plug-and-Play
Connect your devices to the wireless presentation system with just a simple push of a button

SPECIFICATIONS

Standards
- IEEE 802.3
- IEEE 802.3u
- IEEE 802.11ac (5GHz)
- USB 2.0
- HDCP 1.4
- HDMI 1.4

Device Interface
- 1 x HDMI Port
- 1 x USB 2.0 Type A Cable
- LED indicators

Supported Video Resolutions
- Up to 1920 x 1080 @ 60Hz (60fps)
- Up to 3840 x 2160 @ 30Hz (30fps)
- Up to 4096 x 2160 @ 24Hz (24fps)

Audio Support
- 5.1 Audio support over HDMI cable

Operating Temperature
- 0° – 40° C (32° – 104° F)

Operating Humidity
- Max. 95% non-condensing

Dimensions
- 80 x 80 x 25mm (3.15 x 3.15 x 1 in.)

Weight
- 136g (4.8 oz.)

Certifications
- CE
- FCC

Warranty
- 3 year

Package Contents
- TWP-101T
- Quick Installation Guide
- HDMI cable (30cm/ 1ft.)