



TRENDNET[®]



Lühike paigaldusjuhend



TE100-S5

Eesti	1
1. Enne alustamist	1
2. Riistvara paigaldamine	2
Tehnilised spetsifikatsioonid	3
Tõrkeotsing	5

1. Enne alustamist



Pakendi sisu


- TE100-S5
- Lühike paigaldusjuhend
- AC toiteplokk (9V DC, 600mA)

Minimaalsed nõuded süsteemile

- Sissepaigaldatud võrgukaardiga arvuti
- Aluspind peab suutma kanda vähemalt 1,5 kg switchi
- Pistikupesa peab olema kuni 1,82 m kaugusel switchist
- Kontrollige visuaalselt alalisvoolu toitepistikut, et see on turvaliselt toiteplokkiga ühendatud
- Veenduge, et switchi ümber on sobiv soojuse hajutamine ja piisav ventilatsioon
- Äрге paigutage switchi peale raskeid esemeid

Rakendus

5-Port 10/100Mbps Fast Ethernet Switch (TE100-S5)




2. Riistvara paigaldamine

1. Ühendage **AC toiteplokk** TE100-S5 külge ning seejärel pistikupessa.



2. Ühendage arvutist CAT-5 RJ-45 võrgukaabel vabasse TE100-S5 Etherneti porti.



Paigaldamine on lõppenud.

Teie seadmete registreerimine

Et kindlustada teid parima teeninduse ja toega, palun leidke moment, et registreerida teie toode OnLines - www.Trendnet.com/register
Täname, et te valisite TRENDnet'i.

Üldine	
Standardid	IEEE 802.3 10BASE-T Ethernet IEEE 802.3u 100BASE-TX Fast Ethernet IEEE 802.3x täis-dupleks voo reguleerimine
Protokoll	CSMA/CD
Andmeülekande määrad	Ethernet: 10Mbps (pool-dupleks), 20Mbps (täis-dupleks) Fast Ethernet: 100Mbps (pool-dupleks), 200Mbps (täis-dupleks)
Topoloogia	Tähtvõrk
Võrgukaablid	Ethernet: UTP/STP CAT-3, -4, -5 Fast Ethernet: UTP/STP CAT-5, -5e, -6
Portide arv	5 x 10/100Mbps automaatse kiirusevalikuga, Auto-MDIX porti
LED indikaatorid	Pordi kohta: LINK/ACT

Kasutamine	
Ülekande meetod	Salvesta-ja-edasta
Paketi filtreerimine/ Edastuskiirus	10Mbps Ethernet: 14,880pps (paketti sekundi kohta) 100Mbps Fast Ethernet: 148,800pps
MAC Address Learning	Automaatne uuendamine
Switch Fabric	1.2Gbps edastusmaht
Filtering Address Table	1K kannot seadme kohta

Füüsiline ja keskkonnaline

DC sisendid	Switching Power 5V DC, 800mA or Linear Power 7.5V DC, 1A
Power	2.8W (Max.)
Temperatuur	Kasutamine: 0° ~ 50°C, Ladustamine: -10° ~ 70°C
Niiskus	Kasutamine: 10% ~ 90%, Ladustamine: 5% ~ 90%
Mõõtmed	100 x 78 x 31 mm (L x S x K)
Kaal	128g
Sertifikaadid	FCC, CE

K1: Peale Switchi ühendamist pistikupesasse ei hakka LED-tuled põlema.

V1: Kontrollige välislooteploki ühendust TE100-S5 seadme ja pistikupesaga. Samuti veenduge, kas vool tuleb pistikupesasse.

K2: Peale arvuti ühendamist Switchiga ei saa ma faile jagada.

V2: Esiteks, kontrollige Switchi LED- tulesid. Veenduge, et LINK/ACT LED-tuli põleb. Teiseks, kontrollige võrgukaablit. Kaabli minimaalne pikkus on 1,5 meetrit ja maksimaalne pikkus 100 meetrit. Kolmandaks, blokeerige igasugune tarkvara tulemüüri programm. Neljandaks, veenduge, et teil on failijagamise lubatud. Täpsema informatsiooni saamiseks võtke ühendust operatsioonisüsteemi tehnilise toega.

K3: Pärast arvuti ühendamist Switchiga saan ma Interneti kasutada ainult ühest arvutist.

V3: See Switch ei ole loodud jagama Interneti mitme arvuti vahel. Soovitame teil soetada endale Interneti ruuter nagu näiteks TW100-S4W1CA.

Kui teil endiselt esineb probleeme või on küsimusi TE100-S5 kohta, palun võtke ühendust TRENDneti tehnilise toe osakonnaga.

Limited Warranty

TRENDnet warrants its products against defects in material and workmanship, under normal use and service, for the following lengths of time from the date of purchase.

TE100-S5 - 5 Year Warranty

If a product does not operate as warranted above during the applicable warranty period, TRENDnet shall, at its option and expense, repair the defective product or deliver to customer an equivalent product to replace the defective item. All products that are replaced will become the property of TRENDnet. Replacement products may be new or reconditioned.

TRENDnet shall not be responsible for any software, firmware, information, or memory data of customer contained in, stored on, or integrated with any products returned to TRENDnet pursuant to any warranty.

There are no user serviceable parts inside the product. Do not remove or attempt to service the product through any unauthorized service center. This warranty is voided if (i) the product has been modified or repaired by any unauthorized service center, (ii) the product was subject to accident, abuse, or improper use (iii) the product was subject to conditions more severe than those specified in the manual.

Warranty service may be obtained by contacting TRENDnet office within the applicable warranty period for a Return Material Authorization (RMA) number, accompanied by a copy of the dated proof of the purchase. Products returned to TRENDnet must be pre-authorized by TRENDnet with RMA number marked on the outside of the package, and sent prepaid, insured and packaged appropriately for safe shipment.

WARRANTIES EXCLUSIVE: IF THE TRENDNET PRODUCT DOES NOT OPERATE AS WARRANTED ABOVE, THE CUSTOMER'S SOLE REMEDY SHALL BE, AT TRENDNET'S OPTION, REPAIR OR REPLACEMENT. THE FOREGOING WARRANTIES AND REMEDIES ARE EXCLUSIVE AND ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, EITHER IN FACT OR BY OPERATION OF LAW, STATUTORY OR OTHERWISE, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. TRENDNET NEITHER ASSUMES NOR AUTHORIZES ANY OTHER PERSON TO ASSUME FOR IT ANY OTHER LIABILITY IN CONNECTION WITH THE SALE, INSTALLATION, MAINTENANCE OR USE OF TRENDNET'S PRODUCTS.

TRENDNET SHALL NOT BE LIABLE UNDER THIS WARRANTY IF ITS TESTING AND EXAMINATION DISCLOSE THAT THE ALLEGED DEFECT IN THE PRODUCT DOES NOT EXIST OR WAS CAUSED BY CUSTOMER'S OR ANY THIRD PERSON'S MISUSE, NEGLIGENCE, IMPROPER INSTALLATION OR TESTING, UNAUTHORIZED ATTEMPTS TO REPAIR OR MODIFY, OR ANY OTHER CAUSE BEYOND THE RANGE OF THE INTENDED USE, OR BY ACCIDENT, FIRE, LIGHTNING, OR OTHER HAZARD.

LIMITATION OF LIABILITY: TO THE FULL EXTENT ALLOWED BY LAW TRENDNET ALSO EXCLUDES FOR ITSELF AND ITS SUPPLIERS ANY LIABILITY, WHETHER BASED IN CONTRACT OR TORT (INCLUDING NEGLIGENCE), FOR INCIDENTAL, CONSEQUENTIAL, INDIRECT, SPECIAL, OR PUNITIVE DAMAGES OF ANY KIND, OR FOR LOSS OF REVENUE OR PROFITS, LOSS OF BUSINESS, LOSS OF INFORMATION OR DATA, OR OTHER FINANCIAL LOSS ARISING OUT OF OR IN CONNECTION WITH THE SALE, INSTALLATION, MAINTENANCE, USE, PERFORMANCE, FAILURE, OR INTERRUPTION OF THE POSSIBILITY OF SUCH DAMAGES, AND LIMITS ITS LIABILITY TO REPAIR, REPLACEMENT, OR REFUND OF THE PURCHASE PRICE PAID, AT TRENDNET'S OPTION. THIS DISCLAIMER OF LIABILITY FOR DAMAGES WILL NOT BE AFFECTED IF ANY REMEDY PROVIDED HEREIN SHALL FAIL OF ITS ESSENTIAL PURPOSE.

Governing Law: This Limited Warranty shall be governed by the laws of the state of California.

Note: AC/DC Power Adapter, Cooling Fan, Cables and Power Supply carry a 1-Year Warranty

Sertifikaadid:

Antud seade on testitud ja leitud vastavaks FCC ja CE seadustega.

1. Antud seade ei põhjusta kahjulikke häireid.
2. Antud seade peab vastu võtma kõik saadud häired, sealhulgas häired, mis võivad põhjustada soovimatut tööd.



Elektri- ja elektroonikatoodete jäätmeid ei tohi ära visata koos olmejäätmetega. Abivahendite olemasolu korral palume ümber töötlemiseks sorteerida. Küsi nõu jäätmete ümber töötlemise kohta oma kohalikul jaemüüjalt.



MÄRKUS: TOOTJA EI VASTUTA ÜHEGI TV VÕI RAADIO HÄIRETE EEST, MIS ON PÕHJUSTATUD ANTUD SEADME LUBAMATUST ÜMBEREHITAMISEST. IGASUGUNE ÜBERMODIFITSEERIMINE TÜHISTAB AUTORIVASTUTUSE ANTUD SEADMELE.



TRENDnet[®]

TRENDnet Technical Support

US • Canada

Toll Free Telephone: 1(866) 845-3673

24/7 Tech Support



Europe (Germany • France • Italy • Spain • Switzerland • UK)

Toll Free Telephone: +00800 60 76 76 67

English/Espanol - 24/7

Francais/Deutsch - 11am-8pm, Monday - Friday MET

Worldwide

Telephone: +(31) (0) 20 504 05 35

English/Espanol - 24/7

Francais/Deutsch - 11am-8pm, Monday - Friday MET

Product Warranty Registration

Please take a moment to register your product online.

Go to TRENDnet's website at <http://www.trendnet.com>

TRENDnet[®]

20675 Manhattan Place
Torrance, CA 90501
USA