




## 5-Port Gigabit PoE+ Switch

TPE-TG52 (v1.0R)


- 4 x Gigabit PoE+ ports
- 1 x Gigabit port
- 32W PoE power budget
- 10Gbps switching capacity
- IEEE 802.1p QoS and DSCP pass-through support
- Compact fanless design
- Wall-mountable metal housing

TRENDnet's 5-Port Gigabit PoE+ Switch, model TPE-TG52, reduces equipment and installation costs by delivering data and power over existing Ethernet cables. With PoE technology, users only need one set of cables to deliver both data and power. This compact network switch features four gigabit PoE+ ports and one gigabit port, with a 32W total PoE power budget. The TPE-TG52 PoE+ switch allows you to network PoE devices, such as wireless access points, IP cameras, VoIP phones, IP video encoders, access controls, and more. It features a fanless design, and has a convenient option for wall mounting.




### PoE+

A 32W PoE power budget supports up to four Power over Ethernet devices.




### Gigabit Ports

Five gigabit ports provide a 10Gbps switching capacity to support edge network installations.



### Compact Design

Compact, lightweight, and fanless, this switch is designed for desktops and quiet environments.



## FEATURES



### PoE+

Supplies up to 30 watts of PoE power per port with a 32W power budget



### Gigabit Ports

4 x Gigabit PoE+ Ethernet ports, 1 x Gigabit port



### Compact Design

With a compact and lightweight metal housing design, this switch is well-suited for desktop installations



### Switching Capacity

10Gbps switching capacity



### Jumbo Frame

Sends Jumbo Frames (up to 9KB) for increased performance



### Fanless

Fanless design is ideal for quiet environments that require silent operation



### LED Indicators

LED indicators convey port status

## SPECIFICATIONS

### Standards

- IEEE 802.3
- IEEE 802.3u
- IEEE 802.3ab
- IEEE 802.3x
- IEEE 802.3p
- IEEE 802.3af
- IEEE 802.3at

### Device Interface

- 4 x Gigabit PoE+ ports
- 1 x Gigabit port
- LED indicators

### Data Transfer Rate

- Ethernet: 10Mbps (half duplex), 20Mbps (full duplex)
- Fast Ethernet: 100Mbps (half duplex), 200Mbps (full duplex)
- Gigabit Ethernet: 2000Mbps (full duplex)

### Performance

- Switch Fabric: 10Gbps
- RAM Buffer: 128KB
- MAC Address Table: 2K entries
- Jumbo Frames: 9KB
- Forwarding rate: 7.44Mpps (64-byte packet size)

### Special Features

- VLAN port isolation
- 802.1p Class of Service (CoS)
- Wall mountable

### Power

- Input: 100 – 240 V AC, 50/60Hz, 1.2A
- Output: 54V DC, 0.7A external power adapter
- Max. consumption: 36W

### PoE

- PoE budget: 32W
- PoE Mode A: Pins 1,2 for power and pins 3,6 for power

### MTBF

- 3,516,000 hours

### Operating Temperature

- 0° – 40° C (32° – 104° F)

### Operating Humidity

- Max. 90% non-condensing

### Dimensions

- 121 x 75 x 26mm (4.76 x 2.95 x 1 in.)

### Weight

- 246g (8.68 oz.)

### Certifications

- CE
- FCC
- LVD

### Warranty

- 3 year

### Package Contents

- TPE-TG52
- Quick Installation Guide
- Power adapter (54V DC, 0.7A)