




USB-C 3.1 to 5GBASE-T Ethernet Adapter

TUC-ET5G (v1.0R)


- IEEE 802.3bz 2.5/5GBASE-T compliant
- USB-C 3.1 connection interface
- 5GBASE-T supports up to 5Gbps connection speeds
- 2.5GBASE-T supports up to 2.5Gbps connection speeds
- Compatible with existing Cat5e or better cabling
- Compact design is ideal for on-the-go professionals
- Supports 802.1p (CoS) and 802.1Q (VLAN)

TRENDnet's USB-C 3.1 to 5GBASE-T Ethernet Adapter, model TUC-ET5G, is equipped with a 5GBASE-T RJ-45 port that provides higher gigabit speeds capable of up to 5Gbps over existing Cat5e or better cabling. This USB-C 5G ethernet adapter features a USB-C 3.1 interface that easily connects a USB-C enabled notebook to a high-speed 5GBASE-T network. The low-profile compact design is ideal for on-the-go professionals.




USB-C 3.1

Use the USB-C 5G ethernet adapter to easily connect to a 5GBASE-T network from a USB-C 3.1 enabled notebook.



Compatibility


Compatible with Windows® operating systems.



2.5/5GBASE-T Port

Equipped with a 5GBASE-T RJ-45 port that provides multi-gigabit speeds capable of up to 5Gbps over existing Cat5e or better cabling.

NETWORKING SOLUTION



FEATURES



USB-C 3.1

Use the USB-C 5G ethernet adapter to easily connect to a 5GBASE-T network from a USB-C 3.1 enabled notebook



Compatibility

Compatible with Windows® operating systems



2.5/5GBASE-T Port

Equipped with a 5GBASE-T RJ-45 port that provides multi-gigabit speeds capable of up to 5Gbps over existing Cat5e or better cabling



Integrated Cable

Integrated 12.7cm (5 in.) USB-C cable



USB Powered

No external power adapter required—this compact USB-C 5G ethernet adapter is powered via the USB port

SPECIFICATIONS

Standards

- IEEE 802.1p
- IEEE 802.1Q
- IEEE 802.3u
- IEEE 802.3x
- IEEE 802.3ab
- IEEE 802.3az
- IEEE 802.3bz
- USB-C 3.1

Interface

- 1 x 5GBase-T port (5Gbps/2.5Gbps/1Gbps/100Mbps)
- 1 x USB-C 3.1 connector

Maximum Data Rate

- Up to 5Gbps (5GBase-T port)

Special Features

- Energy saving technology
- Wake on LAN (suspend mode)
- Multi-Gigabit Adapter

Compatibility

- Windows® 10, 8.1, 7

Operating Temperature

- 0° – 40° C (32° – 104° F)

Operating Humidity

- Max. 90% non-condensing

Power

- USB powered

Dimensions

- 91 x 35 x 16.5mm (3.74 x 1.37 x 0.64 in.)
- 126mm (4.9 in) cable length

Weight

- 50g (1.7 oz.)

Certifications

- CE
- FCC

Warranty

- 2 year

Package Contents

- TUC-ET5G
- CD-ROM (Drivers & User Guide)
- Quick Installation Guide